

CooperVision Contact lenses.

November 2022

Contents

One-day lenses		One-month lenses	
Myopia Management		Silicone hydrogel	
MiSight [®] 1 day		Biofinity®	
Silicone hydrogel		Biofinity® XR Biofinity® toric	
MyDay [®]	4	Biofinity [®] XR toric	
MyDay® toric	5	Biofinity [®] multifocal	
MyDay [®] multifocal	6	Biofinity [®] toric multifocal	
clariti® 1 day	7	Biofinity Energys [®]	
clariti® 1 day toric		Avaira Vitality®	
clariti® 1 day multifocal		Avaira Vitality® toric	
Live [®]		clariti® elite	
		clariti® toric	
Hydrogel		clariti® XR toric	
Proclear® 1 day		clariti® multifocal	
Proclear® 1 day multifocal			
Biomedics® 1 day Extra		Hydrogel	
Biomedics® 1 day Extra toric	14	Proclear®	
		Proclear® toric	
		Proclear® toric XR	
		Proclear [®] multifocal	
		Proclear® multifocal XR	
		Proclear® multifocal toric	
		Biomedics [®] 55UV Evolution	

Biomedics[®] toric

Additional information Flexible ordering OptiExpert™ v2.0 app .15 One-day reference guides .16 One-day wearer profiles 17 One-month reference guides .18 One-month wearer profiles ...19 20

.35

Fit sets

36

37

.38

40

.42

.45

Material

MiSight [®] 1 day	
MyDay [®]	47
MyDay® toric	
MyDay® multifocal	
clariti® 1 day	
clariti® 1 day toric	
clariti® 1 day multifocal	
Live [®]	
Proclear® 1 day	
Proclear® 1 day multifocal	
Biomedics® 1 day Extra	
Biomedics® 1 day Extra toric	
Biofinity®	
Biofinity® toric	
Biofinity® multifocal	
Biofinity Energys®	71
Avaira Vitality [®]	72
Avaira Vitality® toric	
clariti® elite	74
clariti® toric	75
clariti® multifocal	
Proclear®	77
Proclear® toric	
Proclear® multifocal	





Wearer profile

These child friendly¹ lenses are dualpurpose: they provide clear vision and help to control the worsening of myopia.¹ Myopia can lead to severe ocular health problems later in life.²



*90% of myopic eyes respond to MiSight® 1 day treatment; ages 11–15 at start of wear, n=90. † Using measured and modeled data, pooled across ages (8-17), MiSight® 1 day slowed myopia progression by an average of approximately 50%. Il 12 months post-treatment, evidence indicates that no accumulated myopia control benefits were lost following three or six-years of MiSight® 1 day wear (on average, for children aged 8-15 at start of wear). Instead, eye growth reverted to expected, age average myopic progression rates. 1. Chamberlain P et al A 3-year Randomized Clinical Trial of MiSight® Lenses for Myopia Control. Optom Vis Sci 2019;96:556-567. 2. Ideman JW et al. Association of axial length with risk of uncorrectable visual impairment for Europeans with myopia. JANA Ophthalmol. 2016;13:41:355-1363. 3. Chamberlain P et al. Long-Term Effect of Dual-Focus Contact Lenses on Myopia Progression in Children: A 6-year Multicenter Clinical Trial. Dytom Vis Sci 2022. 4. Arumugam B, Bradley A, Hammond D, Chamberlain P, Modelling Age et al. Myopia Progression or the MiSight® 1 Ag. Clinical Trial. Invest. Ophthalmol. Vis Sci 2021;62(8):2333. 5. Chamberlain P, Arumugam et al. Myopia progression or to Bual-Focus contact Lens wear: MiSight® 1 day 7 year findings. Optom Vis Sci 2021;98:E-abstract 210049. 6. Hammond D, Arumugam B, et al. Myopia Contact Lens Wear with no Evidence of a Rebound Effect. Optom Vis Sci 2021;98:E-abstract 215130.

Description

One-day hydrogel lens to help control the worsening of myopia¹ in young patients.

Technology

ActivControl® Technology.

Features

✓ One-day contact lens with ActivControl® Technology

✓ ActivControl[®] Technology slows axial length elongation and corrects refractive error¹

 \checkmark Designed for children who have a myopic prescription from -0.25 to -10.00DS.

Benefits

 \checkmark Works for nearly all children with myopia^{*3}


 \checkmark Cuts the worsening of myopia by half⁺⁴

 \checkmark Benefits are proven to last after treatment has ended.^{II 5,6}

Misight aday More adages and a second adages address addre

Diagnostic packaging

Material	Omafilcon A
Water content	60%
Base curve	8.7mm
Diameter	14.2mm
Centre thickness (@ -3.00DS)	0.089mm
Dk/t (@ -3.00)	28
Modulus	0.4 MPa
UV blocker	No
Power range	-0.25 to -6.00DS (0.25D steps) -6.00 to -10.00DS (0.50D steps)
Revenue pack size	30
Diagnostic pack size	5



Wearer profile

These high-performance lenses suit wearers who want unsurpassed comfort, health and convenience for long and demanding days.

OptiExpert[™] v2.0

*Warning: UV-absorbing contact lenses are not substitutes for protective UV-absorbing eyewear, such as UV-absorbing goggles or sunglasses, because they do not completely cover the eye and surrounding area. Patients should continue to use UV-absorbing eyewear as directed. **High oxygen transmissibility promotes clear, white eyes. Φ Formerly known as Smart Silicone" chemistry, MyDay® technology has been rebranded to align with that of Biofinity.® There is no change to the MyDay® lens material.

Description

One-day silicone hydrogel lens for myopic and hyperopic patients.

Technology

Aquaform® Technology[◊] Aberration Neutralising System.™

Features

✓ High oxygen transmissibility
✓ Naturally and uniformly wettable


- ✓ High water content
- ✓ Low modulus
- \checkmark Aspheric optics
- ✓ UV blocker.*

Benefits

- \checkmark Delivers unsurpassed comfort all day, every day
- ✓ Superb breathability to promote clear, white eyes^{**}
 ✓ UV-blocking^{*}
- \checkmark Enhanced visual clarity with clear, crisp vision

✓ Superb handling

 High-performance lens in the convenience of a one-day lens.



Material	Stenfilcon A
Water content	54%
Base curve	8.4mm
Diameter	14.2mm
Centre thickness (@ -3.00DS)	0.08mm
Dk/t (@ -3.00DS)	100
Modulus	0.4 MPa
UV blocker*	Yes
Power range	-0.25 to -6.00DS (0.25D steps) -6.50 to -12.00DS (0.50D steps) +0.25 to +5.00DS (0.25D steps) +5.50 to +8.00DS (0.50D steps)
Revenue pack size	30, 90
Diagnostic pack size	5

Contents One-day One-month Fit	sets	MyDay [®] toric	One-day	Silicone hydrogel	Toric
plasticbank		to de tito - 1 - estador	10///organese #synchronyaat	Track Increases -	

toric

UV Blocking

CooperVision

Hamble, SO31 4RF, UK Scottsville, NY 14546, USA Juana Diaz, PR 00795, USA

Diagnostic packaging

5 daily disposable contact lenses



toric

MyDay^{*} daily disposable

30 silicone hydrogel contact lenses

Wearer profile

These high-performance lenses suit wearers who want unsurpassed comfort, health and convenience for long and demanding days.

OptiExpert[™] v2.0

*Warning: UV-absorbing contact lenses are not substitutes for protective UV-absorbing eyewear, such as UV-absorbing goggles or sunglasses, because they do not completely cover the eye and surrounding area. Patients should continue to use UV-absorbing eyewear as directed. **High oxygen transmissibility promotes clear, white eyes. ØFormerly known as Smart Silicone" chemistry, MyDay® technology has been rebranded to align with that of Biofinity.® There is no change to the MyDay® lens material. "In primary gaze. **1.** Momeni-Moghaddam H., et al. *Comparison of fitting stability of the different soft toric contact lenses.* Contact Lens and Anterior Eye **37** (2014) 346-350.

Description

One-day silicone hydrogel toric lens for astigmatic patients.

CooperVision*

VU 🔊

LOCKIN

Technologies

Aquaform[®] Technology[◊] Optimised Toric Lens Geometry.[™]

Features

 \checkmark Uniform horizontal ISO thickness for improved stability

- ✓ Optimised ballast toric design for a stable fit and minimal lens movement
- \checkmark Large toric optic zone provides clear visual acuity
- ✓ High oxygen transmissibility
- \checkmark High water content
- \checkmark Low modulus
- ✓ UV blocker.*

Benefits

- ✓ Optimised Toric Lens Geometry[™] design showed superior lens rotation vs. other leading toric lens designs^{∞1}
- \checkmark Offers patients excellent vision stability
- \checkmark Delivers unsurpassed comfort all day, every day
- \checkmark Superb breathability to promote clear, white eyes**
- ✓ UV-blocking*
- \checkmark Superb handling
- \checkmark High-performance lens in the convenience of a one-day lens.



54% 1 day • Silicone Hydrogel

CE

Material	Stenfilcon A			
Water content	54%			
Base curve	8.6mm			
Diameter	14.5mm			
Centre thickness (@ -3.00DS)	0.10mm			
Dk/t (@ -3.00DS)	80			
Modulus	0.4 MPa			
UV blocker*	Yes			
Power range	Plano to -6.00DS (0.25D steps)	Plano to -6.00DS (0.25D steps) -6.50 to -10.00DS (0.50D steps) +0.50 to +6.00DS (0.50D steps)	-6.50 to -10.00DS (0.50D steps)	+0.25 to +6.00DS (0.25D steps
Cylinder powers	-0.75, -1.25, -1.75DC	-2.25DC	-0.75, -1.25, -1.75DC	-0.75, -1.25 -1.75DC
Axes	10° to 180° (10° steps)	10°, 20°, 90°, 160°, 170°, 180°	10°, 20°, 70°, 80°, 90°, 100°, 110°, 160°, 170°, 180°	10°, 20°, 70 80°, 90°, 100°, 110°, 160°, 170°, 180°
Revenue pack size	30			

Diagnostic pack size 5

NOT FOR INDIVIDUAL RESALE

1 day toric

silicone hydrogel

trial lenses · not for

PLASTIC BINOCULAR • PROGRESSIVE SYSTEM™ plasticbank



Revenue packaging

Wearer profile

These high-performance lenses suit wearers who want unsurpassed comfort, health and convenience for long and demanding days.



*Warning: UV-absorbing contact lenses are not substitutes for *Warning: UV-absorbing contact: lenses are not substitutes for protective UV-absorbing eyewear, such as UV-absorbing goggles or sunglasses, because they do not completely cover the eye and surrounding area. Patients should continue to use UV-absorbing eyewear as directed. & Formerly known as Smart Silicone" chemistry, MyDay® multifocal technology has been rebranded to align with that of Biofinity® There is no change to the MyDay® multifocal lens of Biofnity.[®] There is no charge to the MyDay[®] multifocal lens material. **1.** CVI data on file 2020. Prospective, double-masked, randomised, bilateral, one-week cross-over dispensing study with MyDay® multifocal; n=104 habitual MFCL wearers. **2.** CVI data on file 2021. Prospective, subject-masked, randomised, bilateral, two-week cross-over dispensing study at five US sites with MyDay® multifocal; n=58 habitual multifocal contact lens wearers. **3.** CVI data on file 2020. MyDay® multifocal spherical power range +8.00D to -12.00D. Based on Rx option combinations (sph & add) available across all oneday soft lenses in multifocal from four main manufacturers in UK, France, Germany and Italy Oct 2020. Cosmetic & Photochromatic CLs not included. Multiple base curve variants not included.

Description

One-day silicone hydrogel multifocal lens for presbyopic patients.

Technology

Aquaform[®] Technology[◊] Binocular Progressive System[™].

Features

- \checkmark Unique 3-add system which uses different lens designs to optimise vision for all levels of presbyopia¹ ✓ High oxygen transmissibility
- ✓ High water content
- ✓ Low modulus
- ✓ UV blocker.*

Benefits

 \checkmark Easy to fit, easy to establish, easy to optimise^{1,2} ✓ Good handling

- \checkmark Unsurpassed comfort and vision at all distances compared to other leading one-day multifocal contact lenses^{1,2}
- \checkmark The greatest parameter range of any one-day multifocal contact lens³



Silicone hydrogel

Material	Stenfilcon A
Water content	54%
Base curve	8.4mm
Diameter	14.2mm
Centre thickness (@ -3.00DS)	0.08mm
Dk/t (@ -3.00DS)	100
Modulus	0.4 MPa
UV blocker*	Yes
Power range	+8.00 to -10.00DS (0.25D steps) -10.50 to -12.00DS (0.50D steps)
ADD powers	LOW (+0.75 to +1.25DS) MID (+1.50 to +1.75DS) HIGH (+2.00 to +2.50DS)
Revenue pack size	30
Diagnostic pack size	5

PLASTIC NEUTRA



Revenue packaging

Wearer profile

Enjoyed by many wearers, these contact lenses focus on convenience, health, comfortable eyes and great value.[†]

OptiExpert[™] v2.0

† Retail price is solely at the discretion of the retailer at all times. CVI commentary on price positioning is not meant to influence the price any retailer charges. * Warning: UV-absorbing contact lenses are not substitutes for protective UV-absorbing eyewear, such as UVabsorbing goggles or sunglasses, because they do not completely cover the eye and surrounding area. Patients should continue to use UV-absorbing eyewear as directed. **High oxygen transmissibility promotes clear, white eyes. 1. Brennan NA. Beyond Flux: Total Corneal Oxygen Consumption as an Index of Corneal Oxygenation During Contact Lens Wear. Optom Vis Sci 2005. 2. CVI data on file 2019. Randomised, double-masked, 1-week one-day dispensing study with clariti® 1 day, single site UK, n=54. 3. 87% of patients reported that clarite® 1 day was easy to handle. Observational satisfaction survey involving 1718 patients (new lens wearers n=1091, refitted lens wearers n=627) who were fitted with clariti® 1 day: 87%, top 2 boxes - ease of handling very good or good.

Description

One-day silicone hydrogel lens for myopic and hyperopic patients.

Technology

WetLoc® Technology Optimised Comfort Edge.™


Features

✓ High oxygen transmissibility

- \checkmark Naturally and uniformly wettable
- ✓ Optimum modulus
- ✓ Aspheric optics
- ✓ UV blocker.*

Benefits


- \checkmark Sustained high water content for excellent all-day comfort
- ✓ 100% corneal oxygen consumption¹ for white, bright eyes^{**}
- ✓ UV-blocking*
- ✓ Excellent visual acuity²
- \checkmark Easy to handle.³



Material	Somofilcon A
Water content	56%
Base curve	8.6mm
Diameter	14.1mm
Centre thickness (@ -3.00DS)	0.07mm
Dk/t (@ -3.00DS)	86
Modulus	0.5 MPa
UV blocker*	Yes
Power range	-0.50 to -6.00DS (0.25D steps) -6.50 to -10.00DS (0.50D steps) +0.50 to +6.00DS (0.25D steps) +6.50 to +8.00DS (0.50D steps)
Revenue pack size	30, 90
Diagnostic pack size	5



FROM THE EXPERTS IN TORICS.





Wearer profile

Enjoyed by many wearers, these contact lenses focus on convenience, health, comfortable eyes and great value.⁺

OptiExpert[™] v2.0

† Retail price is solely at the discretion of the retailer at all times. CVI commentary on price positioning is not meant to influence the price any retailer charges. * Warning: UV-absorbing contact lenses are not substitutes for protective UV-absorbing eyewear, such as UVabsorbing goggles or sunglasses, because they do not completely cover the eye and surrounding area. Patients should continue to use UV-absorbing eyewear as directed. **High oxygen transmissibility promotes clear, white eyes. 1. CVI data on file 2018. Clinical performance study with clariti® 1 day toric in UK, ECP rating at dispensing and 1-week follow-up, n=38. 2. Brennan N.A. Beyond Plux: Total Corneol Oxygen Consumption as an Index of Corneol Oxygenation During Contact Lens Wear. Optom Vis Sci 2005. 3. CVI data on file 2018. Clinical performance study with clariti 1 day toric in UK, n=38. High contrast VA. 4. CVI data on file 2019. Observational satisfaction survey who were fitted with clariti® 1 day, n=1718.

Description

One-day silicone hydrogel toric lens for astigmatic patients.

Technologies

WetLoc[®] Technology Smooth-gradient ballast toric design.


Features

- ✓ Smooth, gentle lid/lens interaction leading to a consistently stable fit
- \checkmark Back surface aspheric peripheral zones to optimise lens stability
- ✓ High oxygen transmissibility
- ✓ High water content
- ✓ UV blocker.*

Benefits

✓ Excellent rotational stability and orientation¹

- \checkmark Sustained high water content for excellent all-day comfort
- \checkmark 100% corneal oxygen consumption² for white,
- bright eyes**
- ✓ UV-blocking*
- ✓ Excellent visual acuity³
- ✓ Easy to handle.⁴



Specification

Material	Somofilcor	۱A			
Water content	56%				
Base curve	8.6mm	8.6mm			
Diameter	14.3mm				
Centre thickness (@ -3.00DS)	0.105mm	0.105mm			
Dk/t (@ -3.00DS)	57				
Modulus	0.5 MPa				
UV blocker*	Yes				
Power range	Plano to -6.00DS (0.25D steps)		-6.50 to -9.00DS (0.50D steps)		+0.25 to +4.00DS (0.25D steps
Cylinder powers	-0.75, -1.25, -1.75DC	-2.25DC	-0.75, -1.25, -1.75DC	-2.25DC	-0.75, -1.25 -1.75DC
Axes	10° to 180° (10° steps)	10°, 20°, 70°, 80°, 90°, 100°, 110°, 160°, 170°, 180°	10°, 20°, 60°, 70°, 80°, 90°, 110°, 120°, 160°, 170°, 180°	10°, 20°, 90°, 160°, 170°, 180°	10°, 20°, 70°, 80°, 90°, 100°, 110°, 160°, 170°, 180°
Revenue nack size	30	1		1	1

Revenue pack size 30

Diagnostic pack size 5





Wearer profile

Enjoyed by many wearers, these contact lenses focus on convenience, health, comfortable eyes and great value."



+ Retail price is solely at the discretion of the retailer at all times. CVI commentary on price positioning is not ment to influence the price any retailer charges. * Warning: UV-absorbing contact lenses are not substitutes for protective UV-absorbing eyewear, such as UVbiocharter and a solution of the second seco bilateral, subject-masked dispensing study for two weeks daily wear with clariti® 1 day multifocal n=48. 2. Brennan N.A. Beyond Flux: Total Corneal Óxygen Consumption as an Index of Corneal Oxygenation During Contact Lens Wear. Optom Vis Sci 2005. 3. CVI data on file, 2019. clariti® 1 day Wearer Experience Survey n=298.

Description

One-day silicone hydrogel multifocal lens for presbyopic patients.

Technologies

WetLoc[®] Technology Smooth constant-powered progressive zones with four dedicated, discrete zone of stable power.


Features

- ✓ Centre-near aspheric design
- \checkmark Four dedicated, discrete zones of stable power
- \checkmark Unique dual intermediate vision zones
- \checkmark High oxygen transmissibility
- ✓ High water content
- ✓ UV blocker.*

Benefits

- \checkmark Very good vision performance for near, intermediate or distance vision¹
- \checkmark Sustained high water content for excellent all-day comfort
- \checkmark 100% corneal oxygen consumption² for white, bright eyes**
- ✓ UV-blocking*





Somofilcon A
56%
8.6mm
14.1mm
0.07mm
86
0.5 MPa
Yes
+5.00 to -6.00DS (0.25D steps)
LOW up to +2.25DS HIGH +2.50 to +3.00DS
30
5



sphere

daily disposable contact lenses

Diagnostic packaging

CooperVision Hamble, SO31 4RF, UK

Revenue packaging

Wearer profile

For wearers that want to get out there and live life to the full, try our convenient and affordable⁺ entry level one-day silicone hydrogel lenses.

OptiExpert[™] v2.0

† Retail price is solely at the discretion of the retailer at all times. CVI commentary on price positioning is not meant to influence the price any retailer charges. * Warning: UV-absorbing contact lenses are not substitutes for protective UV-absorbing eyewear, such as UVabsorbing goggles or sunglasses, because they do not completely cover the eye and surrounding area. Patients should continue to use UV-absorbing eyewear as directed. 1. Brennan N.A. Beyond Flux: Total Corneal Oxygen Consumption as an Index of Corneal Oxygenation During Contact Lens Wear. Optom Vis Sci 2005. 2. CVI data on file 2018. One-week daily wear clinical evaluation with Live® in 32 habitual soft CL. wearers.

Description

30 DAILY DISPOSABLE

CONTACT LENSES

One-day silicone hydrogel lens for myopic and hyperopic patients.

Technology

AquaGen® Technology.

Features

✓ High oxygen transmissibility

- \checkmark High water content
- ✓ Aspheric optics
- ✓ UV blocker.*

Benefits

- \checkmark Sustained high water content for good all-day comfort
- \checkmark 100% corneal oxygen consumption 1 for a healthy lens wearing experience
- ✓ UV-blocking*
- ✓ Excellent vision performance²
- \checkmark Excellent handling²
- \checkmark Silicone hydrogel at the price of a hydrogel.⁺

Specification

Material	Somofilcon A
Water content	56%
Base curve	8.6mm
Diameter	14.0mm
Centre thickness (@ -3.00DS)	0.07mm
Dk/t (@ -3.00DS)	86
Modulus	0.5 MPa
UV blocker*	Yes
Power range	-0.50 to -6.00DS (0.25D steps) -6.50 to -10.00DS (0.50D steps) +0.50 to +6.00DS (0.25D steps) +6.50 to +8.00DS (0.50D steps)
Revenue pack size	30, 90
Diagnostic pack size	5

trial lenses · not for sale

Filcon II 3 contact lens Manufacturer: see outer pade



Wearer profile

For wearers that want to get out there and live life to the full, try our convenient and affordable⁺ entry-level Dne-day lenses.

plasticbank

OptiExpert[™] v2.0

Description

One-day hydrogel lens for myopic and hyperopic patients.

Technology

PC Technology[™] Aberration Neutralising System.[™]

Features

- \checkmark Natural resistance to dehydration
- \checkmark High water content
- \checkmark Naturally biocompatible with the eye
- ✓ Aspheric optics.

Benefits

- ✓ Clear vision
- \checkmark All day comfort
- ✓ Stays 96% hydrated throughout the day, even after 12 hours of wear
- \checkmark Helps maintain more moisture and helps to address eye dryness.

Material	Omafilcon A
Water content	60%
Base curve	8.7mm
Diameter	14.2mm
Centre thickness (@ -3.00DS)	0.09mm
Dk/t (@ -3.00DS)	28
Modulus	0.4 MPa
UV blocker	No
Power range	-0.25 to -6.00DS (0.25D steps) -6.50 to -12.00DS (0.50D steps) +0.25 to +5.00DS (0.25D steps) +5.50 to +8.00DS (0.50D steps)
Revenue pack size	30, 90
Diagnostic pack size	5

60% 1 day

PC Technology**

CooperVision

PC multifocal

5 daily disposable contact lenses

Hamble, SO31 4RF, UK Scottsville, NY 14546, USA CE 0088 Juana Diaz, PR 00795, USA

Diagnostic packaging

dav

multifoca

BC 8.7 DIA 14.





Revenue packaging

Wearer profile

For wearers that want to get out there and live life to the full, try our convenient and affordable⁺ entry-level one-day lenses.



Description

One-day hydrogel multifocal lens for presbyopic patients.

Technology

PC Technology.™

Features

✓ Centre-near aspheric design with single power profile
 ✓ Natural resistance to dehydration

✓ High water content

 \checkmark Naturally biocompatible with the eye.

Benefits

- ✓ Excellent vision at all distances improves near vision without disturbing distance vision
- ✓ Stays 96% hydrated throughout the day, even after 12 hours of wear
- ✓ May help address eye dryness when wearing contact lenses.

Specification

Material	Omafilcon A
Water content	60%
Base curve	8.7mm
Diameter	14.2mm
Centre thickness (@ -3.00DS)	0.09mm
Dk/t (@ -3.00DS)	28
Modulus	0.4 MPa
UV blocker	No
Power range	-0.25 to -6.00DS (0.25D steps) -6.50 to -10.00DS (0.50D steps) +0.25 to +6.00DS (0.25D steps)
ADD powers	Single power profile, up to +2.50DS
Revenue pack size	30
Diagnostic pack size	5

trial lenses not for

Hydrogel

55% 1 day

CooperVision'

5 daily disposable contact lenses

Hamble, SO31 4RF, UK Scottsville, NY 14546, USA Juana Diaz, PR 00795, USA

Diagnostic packaging

trial lenses not for s

1 Day

LOT Sep D R only

Hydrogel





Revenue packaging

Wearer profile

For wearers that want to get out there and live life to the full, try our convenient and affordable⁺ entry-level one-day lenses.

OptiExpert[™] v2.0

Description

One-day hydrogel lens for myopic and hyperopic patients.

Technologies

Aberration Neutralising System.™

Features

- ✓ Optimised base curve
- \checkmark Custom-engineered lens design
- \checkmark Aspheric optics
- ✓ Mid-water content.

Benefits

- \checkmark Lens edge designed to help minimise lid interaction to increase comfort
- \checkmark Demonstrates excellent wettability
- \checkmark Provides many patients with over 11 hours of comfortable wear
- \checkmark Clear crisp vision.

-	
Material	Ocufilcon D
Water content	55%
Base curve	8.8mm (plus powers and -6.50 to -10.00DS) 8.6mm (all other minus powers)
Diameter	14.2mm
Centre thickness (@ -3.00DS)	0.07mm
Dk/t (@ -3.00DS)	27
Modulus	0.4 MPa
UV blocker	No
Power range	+5.00 to -6.00DS (0.25D steps) -6.50 to -10.00DS (0.50D steps) +5.50 to +6.00DS (0.50D steps)
Revenue pack size	30, 90
Diagnostic pack size	5



FROM THE EXPERTS IN TORICS.





Hydrogel

Revenue packaging

Wearer profile

For wearers that want to get out there and live life to the full, try our convenient and affordable⁺ entry-level one-day lenses.

OptiExpert[™] v2.0

Description

One-day hydrogel toric lens for astigmatic patients.

Features

- \checkmark Optimised base curve
- \checkmark Custom-engineered lens edge design
- 🗸 Prism ballast
- ✓ Mid-water content.

Benefits

- \checkmark Lens edge designed to help minimise lid interaction to increase comfort for patients with astigmatism
- \checkmark Demonstrates excellent wettability.

Material	Ocufilcon D	
Water content	55%	
Base curve	8.7mm	
Diameter	14.5mm	
Centre thickness (@ -3.00DS)	0.11mm	
Dk/t (@-3.00DS)	17	
Modulus	0.4 MPa	
UV blocker	No	
Power range	Plano to -6.00DS (0.25D steps) -6.50 to -7.00DS (0.50D steps)	-7.50 to -10.00DS (0.50D steps)
Cylinder powers	-0.75, -1.25, -1.75D	С
Axes	20°, 90°, 160°, 180°	90°, 180°
Revenue pack size	30	
Diagnostic pack size	5	



Wearer profile

For wearers who put a premium on comfort, health and vision, these high-performance one-month lenses are available in a wide prescription range.

OptiExpert[™] v2.0

Description

One-month silicone hydrogel lens for myopic and hyperopic patients.

Technology

Aquaform® Technology Aberration Neutralising System.™

Features

✓ High oxygen transmissibility

- \checkmark Naturally and uniformly wettable
- ✓ Optimum modulus
- \checkmark Aspheric optics.

Benefits

- \checkmark Offers patients incredible comfort all day long
- ✓ Lens fits well and is gentle on the eye throughout the life of the lens
- \checkmark Highly breathable for clear, white, healthy eyes
- \checkmark Offers clearer, crisper, sharper vision that your patients expect and deserve.



Single blister

Material	Comfilcon A
Water content	48%
Base curve	8.6mm
Diameter	14.0mm
Centre thickness (@ -3.00DS)	0.08mm
Dk/t (@ -3.00DS)	160
Modulus	0.75 MPa
UV blocker	No
Power range	-0.25 to -6.00DS (0.25D steps) -6.50 to -12.00DS (0.50D steps) +0.25 to +6.00DS (0.25D steps) +6.50 to +8.00DS (0.50D steps)
Revenue pack size	3
Diagnostic pack size	1



Sphere



Revenue packaging

Wearer profile

For wearers who put a premium on comfort, health and vision, these high-performance one-month lenses are available in a wide prescription range.

OptiExpert[™] v2.0

Description

One-month silicone hydrogel lens for myopic and hyperopic patients with higher prescriptions.

Technology

Aquaform® Technology Aberration Neutralising System.™

Features

✓ High oxygen transmissibility

- \checkmark Naturally and uniformly wettable
- ✓ Optimum modulus
- ✓ Aspheric optics.

Benefits

- \checkmark Offers patients incredible comfort all day long
- ✓ Lens fits well and is gentle on the eye throughout the life of the lens
- \checkmark Highly breathable for clear, white, healthy eyes
- \checkmark Greater clarity across the extended power range
- ✓ Offers clearer, crisper, sharper vision that your patients expect and deserve.



Single blister

Material	Comfilcon A
Water content	48%
Base curve	8.6mm
Diameter	14.0mm
Centre thickness (@ -3.00DS)	0.08mm
Dk/t	Varies by Rx
Modulus	0.75 MPa
UV blocker	No
Power range	+8.50 to +15.00DS (0.50D steps) -12.50 to -20.00DS (0.50D steps)
Revenue pack size	3
Diagnostic pack size	1



Wearer profile

For wearers who put a premium on comfort, health and vision, these high-performance one-month lenses are available in a wide prescription range.

OptiExpert[™] v2.0

Description

One-month silicone hydrogel lens for astigmatic patients.

Technologies

Aquaform® Technology Optimised Toric Lens Geometry.™

Features

 \checkmark Uniform horizontal ISO thickness for improved stability

- ✓ Optimised ballast toric design for a stable fit and minimal lens movement
- \checkmark Large toric optic zone provides clear visual acuity
- ✓ High oxygen transmissibility
- \checkmark Naturally and uniformly wettable
- ✓ Optimum modulus.

Benefits

- ✓ Optimised Toric Lens Geometry[™] design showed superior lens rotation vs. other leading toric lens designs^{**1}
- \checkmark Offers the superior vision your patients with astigmatism expect and deserve
- ✓ Stays comfortable all day
- \checkmark Delivers plenty of oxygen to your patients' eyes.



Single blister

Material	Comfilcon A
Water content	48%
Base curve	8.7mm
Diameter	14.5mm
Centre thickness (@ -3.00DS)	0.11mm
Dk/t (@ -3.00DS)	116
Modulus	0.75 MPa
UV blocker	No
Power range	+6.00 to -6.00DS (0.25D steps) +6.50 to +8.00DS (0.50D steps) -6.50 to -10.00DS (0.50D steps)
Cylinder powers	-0.75, -1.25, -1.75, -2.25DC
Axes	10° to 180° (10° steps)
Revenue pack size	3
Diagnostic pack size	1
Puer Size	

Toric



Revenue packaging

Wearer profile

For wearers who put a premium on comfort, health and vision, these high-performance one-month lenses are available in a wide prescription range.

OptiExpert[™] v2.0

Description

One-month silicone hydrogel lens for astigmatic patients with higher prescriptions. Made to order (MTO).

Technology

Aquaform[®] Technology Optimised Toric Lens Geometry.[™]

Features

 \checkmark Uniform horizontal ISO thickness for improved stability

- ✓ Optimised ballast toric design for a stable fit and minimal lens movement
- \checkmark Large toric optic zone provides clear visual acuity
- \checkmark High oxygen transmissibility
- \checkmark Naturally and uniformly wettable
- ✓ Optimum modulus.

Benefits

- ✓ Optimised Toric Lens Geometry[™] design showed superior lens rotation vs. other leading toric lens designs^{**1}
- \checkmark Offers the excellent vision your patients with high astigmatism expect and deserve
- \checkmark Stays comfortable all day
- \checkmark Delivers plenty of oxygen to your patients' eyes.



Single blister

Comfilcon A	
48%	
8.7mm	
14.5mm	
0.11mm	
116	
0.75 MPa	
No	
+8.50 to +20.00DS and -10.50 to -20.00DS (0.50D steps)	+20.00 to -20.00DS (0.50D steps after +/-6.00)
-0.75, -1.25, -1.75, -2.25DC	-2.75, -3.25, -3.75, -4.25, -4.75, -5.25, -5.75DC
5° to 180° (in 5° steps)	5° to 180° (in 5° steps)
3, 6 (MTO)	
1 (MTO)	
	48% 8.7mm 14.5mm 0.11mm 116 0.75 MPa No +8.50 to +20.00DS and -10.50 to -20.00DS (0.50D steps) -0.75, -1.25, -1.75, -2.25DC 5° to 180° (in 5° steps) 3, 6 (MTO)





Wearer profile

For wearers who put a premium on comfort, health and vision, these high-performance one-month lenses are available in a wide prescription range.



Description

One-month silicone hydrogel multifocal lens for presbyopic patients.

Technology

Aquaform[®] Technology Balanced Progressive[®] Technology.

Features

- ✓ Two different optical designs (D and N) to enhance and provide exceptional vision at all distances near, intermediate and far
- \checkmark Lens design is further optimised for each sphere and ADD power
- ✓ High oxygen transmissibility
- \checkmark Naturally and uniformly wettable
- \checkmark Optimum modulus
- \checkmark Streamlined fitting process.

Benefits

- ✓ Allows for both a simplified and flexible fitting for presbyopic patients
- \checkmark Allows for an individualised fitting for each wearer and eye.
- Enhanced, superior visual clarity at all distances, near, far or in-between
- ✓ High level of all day comfort
- \checkmark Delivers plenty of oxygen to your presbyopic patients' eyes.



Single blister

Material	Comfilcon A
Water content	48%
Base curve	8.6mm
Diameter	14.0mm
Centre thickness (@ -3.00DS)	0.09mm
Dk/t (@ -3.00DS)	142
Modulus	0.75 MPa
UV blocker	No
Power range	+6.00 to -6.00DS (0.25D steps) -6.50 to -10.00DS (0.50D steps)
ADD powers	+1.00, +1.50, +2.00, +2.50DS D&N
Revenue pack size	3
Diagnostic pack size	1



Wearer profile

For wearers who put a premium on comfort, health and vision, these high-performance one-month lenses are available in a wide prescription range.



Description

One-month silicone hydrogel lens for astigmatic presbyopic patients. Made to order (MTO)

Technology

Aquaform® Technology Optimised Toric Lens Geometry™ Balanced Progressive® Technology.

Features

- \checkmark Combines proven Biofinity $^{\circ}$ technologies and optical designs
- ✓ Optimised Toric Lens Geometry[™] creates a stable and reliable fit
- ✓ Balanced Progressive[®] Technology allows for remarkable vision performance at all distances
- ✓ High oxygen transmissibility
- ✓ Naturally and uniformly wettable
- ✓ Optimum modulus.

Benefits

- ✓ Allows for both a simplified and flexible fitting for astigmatic presbyopic patients
- $\checkmark\,$ Allows for an individualised fitting for each wearer and eye.
- $\checkmark\,$ Offers the excellent vision your astigmatic presbyopic patients expect and deserve
- \checkmark Keeps everything in focus close up, far away and in between
- \checkmark Stays comfortable all day
- \checkmark Delivers plenty of oxygen to your patients' eyes.



Single blister

Material	Comfilcon A
Water content	48%
Base curve	8.7mm
Diameter	14.5mm
Centre thickness (@ -3.00DS)	0.11mm
Dk/t (@ -3.00DS)	160
Modulus	0.75 MPa
UV blocker	No
Power range	-10.00 to -6.50DS (0.50D steps) -6.00 to +6.00DS (0.25D steps) +6.50 to +10.00DS (0.50D steps)
Cylinder powers	-0.75 to -5.75DC (0.50D steps)
ADD powers	+1.00, +1.50, +2.00, +2.50DS
Axes	5° to 180° (in 5° steps)
Lens design	D lens, N lens
Revenue pack size	3, 6 (MTO)
Diagnostic pack size	1 (MTO)

Sphere



Revenue packaging

Wearer profile

For wearers who put a premium on comfort, health and vision, these high-performance one-month lenses are available in a wide prescription range.

OptiExpert[™] v2.0

Description

One-month silicone hydrogel lens for myopic and hyperopic patients with extra optical support for digital device users.

Technology

Aquaform[®] Technology Digital Zone Optics.[™]

Features

- Lens integrates multiple front-surface aspheric curves across the entire optical zone, simulating more positive power in the center of the lens.
- \checkmark High oxygen transmissibility
- \checkmark Naturally and uniformly wettable
- ✓ Optimum modulus.

Benefits

- ✓ Helps ease accommodative burden as wearers move their gaze from on-screen to off-screen and back
- ✓ Helps with eye tiredness and dryness associated with digital eye fatigue.
- \checkmark Offers patients incredible comfort all day long
- \checkmark Lens fits well and is gentle on the eye throughout the life of the lens
- \checkmark Highly breathable for clear, white, healthy eyes
- $\checkmark\,$ Offers clearer, crisper, sharper vision that your patients expect and deserve.



Single blister

Material	comfilcon A
Water content	48%
Base curve	8.6mm
Diameter	14.0mm
Centre thickness (@ -3.00DS)	0.08mm
Dk/t (@ -3.00DS)	160
Modulus	0.75 MPa
UV blocker	No
Power range	+6.00 to -6.00DS (0.25D steps) +6.50 to +8.00DS (0.50D steps) -6.50 to -12.00DS (0.50D steps)
Revenue pack size	3
Diagnostic pack size	1



Wearer profile

For wearers looking for the perfect balance of comfort, health, and vision at the right price.[†]

OptiExpert[™] v2.0

+ Retail price is solely at the discretion of the retailer at all times. CVI commentary on price positioning is not meant to influence the price any retailer charges. *Warning: UV-absorbing contact lenses are not substitutes for protective UV-absorbing eyewear, such as UVabsorbing gogles or sunglasses, because they do not completely cover the eye and surrounding area. Patients should continue to use UV-absorbing eyewear as directed. **High oxygen transmissibility promotes clear, white eyes.

Description

One-month silicone hydrogel lens for myopic and hyperopic patients.

Technology

Naturally wettable silicone hydrogel technology Aberration Neutralising System.™

Features

✓ Naturally and uniformly wettable

- ✓ High oxygen transmissibility
- \checkmark Optimum modulus
- ✓ Aspheric optics
- ✓ UV blocker.*

Benefits

- ✓ Allows plenty of oxygen to pass through to your patients' eyes
- \checkmark Offers clear, crisp, vision
- \checkmark Stays comfortable all day
- \checkmark Helps keep your patients' eyes clear and white**
- ✓ UV-blocking.*



Single blister

Fanfilcon A 55%
55%
8.4mm
14.2mm
0.08mm
110
0.6 MPa
Yes
+0.25 to +6.00DS (0.25D steps) +6.50 to +8.00DS (0.50D steps) -0.25 to -6.00DS (0.25D steps) -6.50 to -12.00DS (0.50D steps)
3
1



Wearer profile

For wearers looking for the perfect balance of comfort, health, and vision at the right price.[†]

OptiExpert[™] v2.0

† Retail price is solely at the discretion of the retailer at all times. CVI commentary on price positioning is not meant to influence the price any retailer charges. *Warning: UV-absorbing contact lenses are not substitutes for protective UV-absorbing gevewar, such as UV-absorbing goggles or sunglasses, because they do not completely cover the eye and surrounding area. Patients should continue to use UV-absorbing gevewar as directed. **In primary gaze. 1. Momeni-Moghaddam H., et al. Comparison of fitting stability of the different soft toric contact lenses. Contact Lens and Anterior Eye 37 (2014) 346-350.

Description

One-month silicone hydrogel lens for astigmatic patients.

Technology

Naturally wettable silicone hydrogel technology Optimised Toric Lens Geometry.™

Features

 \checkmark Uniform horizontal ISO thickness for improved stability

- Optimised ballast toric design for a stable fit and minimal lens movement
- \checkmark Large toric optic zone provides clear visual acuity
- ✓ Naturally and uniformly wettable
- \checkmark High oxygen transmissibility
- \checkmark Optimum modulus
- ✓ UV blocker.*

Benefits

- ✓ Optimised Toric Lens Geometry[™] design showed superior lens rotation vs. other leading toric lens designs^{**1}
- \checkmark Consistent, exceptional vision quality for astigmatic patients
- \checkmark Delivers plenty of oxygen to your patients' eyes
- \checkmark Stays comfortable all day
- ✓ UV-blocking.*



Single blister

anfilcon A 5% 5mm 4.5mm 10mm 0 6 MPa
5mm 4.5mm 10mm 0 6 MPa
4.5mm 10mm D 6 MPa
10mm D 6 MPa
D 6 MPa
6 MPa
25
0.25 to +6.00DS (0.25D steps) 6.50 to +8.00DS (0.50D steps) 0.25 to -6.00DS (0.25D steps) 6.50 to -10.00DS (0.50D steps)
).75, -1.25, -1.75, -2.25DC
D° to 180° (10° steps)



Wearer profile

As easy on the pocket⁺ as the eye, our entry-level one-month silicone hydrogel lenses give wearers the freedom they want, when they want it.

OptiExpert[™] v2.0

+ Retail price is solely at the discretion of the retailer at all times. CVI commentary on price positioning is not meant to influence the price any retailer charges. *Warning: UV-absorbing contact lenses are not substitutes for protective UV-absorbing eyewear, such as UV-absorbing goggles or sunglasses, because they do not completely cover the eye and surrounding area. Patients should continue to use UV-absorbing eyewear as directed. **High oxygen transmissibility promotes clear, white eyes.

Description

One-month silicone hydrogel lens for myopic and hyperopic patients.

Technology

WetLoc® Technology Aberration Neutralising System.™

Features

✓ Naturally and uniformly wettable

- ✓ High oxygen transmissibility
- \checkmark Optimum modulus
- ✓ Aspheric optics
- ✓ UV blocker.*

Benefits

- ✓ Allows plenty of oxygen to pass through to your patients' eyes
- ✓ Keeps eyes clear and white**
- \checkmark Good all day comfort
- \checkmark Clear crisp vision
- ✓ UV-blocking.*



Single blister

Material	Somofilcon A
Water content	56%
Base curve	8.6mm
Diameter	14.2mm
Centre thickness (@ -3.00DS)	0.07mm
Dk/t (@ -3.00DS)	86
Modulus	0.5 MPa
UV blocker*	Yes
Power range	-0.25 to -8.00DS (0.25D steps) -8.50 to -10.00DS (0.50D steps) +0.25 to +6.00DS (0.25D steps) +6.50 to +8.00DS (0.50D steps)
Revenue pack size	3
Diagnostic pack size	1



Wearer profile

As easy on the pocket⁺ as the eye, our entry-level one-month silicone hydrogel lenses give wearers the freedom they want, when they want it.

OptiExpert[™] v2.0

+ Retail price is solely at the discretion of the retailer at all times. CVI commentary on price positioning is not meant to influence the price any retailer charges. *Warning: UV-absorbing contact lenses are not substitutes for protective UV-absorbing eyewear, such as UV-absorbing goggles or sunglasses, because they do not completely cover the eye and surrounding area. Patients should continue to use UV-absorbing eyewear as directed. **High oxygen transmissibility promotes clear, white eyes.

Description

One-month silicone hydrogel lens for astigmatic patients.

Technologies

WetLoc[®] Technology Smooth-gradient ballast toric design.

Features

- ✓ Smooth, gentle lid/lens interaction leading to a consistently stable fit
- \checkmark Back surface aspheric peripheral zones to optimise lens stability
- ✓ High oxygen transmissibility
- \checkmark Naturally and uniformly wettable
- \checkmark Optimum modulus
- \checkmark Aspheric optics
- ✓ UV blocker.*

Benefits

- ✓ Offers stable orientation and consistent correction of astigmatism
- ✓ Allows plenty of oxygen to pass through to your astigmatic patients' eyes
- ✓ Keeps eyes clear and white**
- \checkmark Good all day comfort
- ✓ UV-blocking.*



Single blister

Material	Somofilcon A
Water content	56%
Base curve	8.7mm
Diameter	14.4mm
Centre thickness (@ -3.00DS)	0.105mm
Dk/t (@ -3.00DS)	57
Modulus	0.5 MPa
UV blocker*	Yes
Power range	+6.00 to -8.00DS (0.25D steps) -8.50 to -9.00DS (0.50D steps)
Cylinder powers	-0.75, -1.25, -1.75, -2.25DC
Axes	0° to 180° (10° steps)
Revenue pack size	3
Diagnostic pack size	1



Wearer profile

As easy on the pocket⁺ as the eye, our entry-level one-month silicone hydrogel lenses give wearers the freedom they want, when they want it.

Description

One-month silicone hydrogel lens for astigmatic patients with higher prescriptions. Made to order (MTO).

Technology

WetLoc[®] Technology Smooth-gradient ballast toric design.

Features

- \checkmark Extended range
- \checkmark Smooth, gentle lid/lens interaction leading to a consistently stable fit
- \checkmark Back surface aspheric peripheral zones to optimise lens stability
- ✓ High oxygen transmissibility
- \checkmark Naturally and uniformly wettable
- \checkmark Optimum modulus
- \checkmark Aspheric optics
- ✓ UV blocker.*

Benefits

- \checkmark Vision correction for high astigmats
- $\checkmark\,$ Offers stable orientation and consistent correction of astigmatism
- ✓ Allows plenty of oxygen to pass through to your astigmatic patients' eyes
- $\checkmark\,$ Keeps eyes clear and white**
- ✓ Good all day comfort
- ✓ UV-blocking.*



Single blister

Specification

Somofilcon A		
56%		
8.7mm	8.7mm	
14.4mm		
Varies by Rx		
57		
0.5 MPa		
Yes		
-9.50 to -10.00DS (0.50D steps) +6.50 to +10.00DS (0.50D steps)	Plano to -8.00DS (0.25D steps) -8.50 to -10.00DS (0.50D steps) +0.25 to +6.00DS (0.25D steps) +6.50 to +10.00DS (0.50D steps)	
-0.75, -1.25, -1.75, -2.25DC	-2.215 to -5.75DC (0.50D steps)	
5° to 180° (in 5° steps)		
3, 6 (MTO)		
1 (MTO)		
	56% 8.7mm 14.4mm Varies by Rx 57 0.5 MPa Yes -9.50 to -10.00DS (0.50D steps) +6.50 to +10.00DS (0.50D steps) +6.50 to +10.00DS (0.50D steps) -0.75, -1.25, -1.75, -2.25DC 5° to 180° (in 5° steps)	

+ Retail price is solely at the discretion of the retailer at all times. CVI commentary on price positioning is not meant to influence the price any retailer charges. *Warning: UV-absorbing contact lenses are not substitutes for protective UV-absorbing eyewear, such as UV-absorbing goggles or sunglasses, because they do not completely cover the eye and surrounding area. Patients should continue to use UV-absorbing eyewear as directed. **High oxygen transmissibility promotes clear, white eyes.



Wearer profile

As easy on the pocket⁺ as the eye, our entry-level one-month silicone hydrogel lenses give wearers the freedom they want, when they want it.

OptiExpert™v2.0 Fitting guide

+ Retail price is solely at the discretion of the retailer at all times. CVI commentary on price positioning is not meant to influence the price any retailer charges. *Warning: UV-absorbing contact lenses are not substitutes for protective UV-absorbing eyewear, such as UV-absorbing goggles or sunglasses, because they do not completely cover the eye and surrounding area. Patients should continue to use UV-absorbing eyewear as directed. **High oxygen transmissibility promotes clear, white eyes.

Description

One-month silicone hydrogel multifocal lens for presbyopic patients.

Technology

WetLoc[®] Technology.

Features

✓ Naturally and uniformly wettable

- ✓ High oxygen transmissibility
- ✓ Optimum modulus
- ✓ Aspheric optics
- ✓ UV blocker.*

Benefits

- \checkmark Designed to help presbyopic patients see clearly near and far
- ✓ Allows plenty of oxygen to pass through to your patients' eyes
- ✓ Keeps eyes clear and white**
- ✓ Good all day comfort
- ✓ UV-blocking.*



Single blister

Material	Somofilcon A
Water content	56%
Base curve	8.7mm
Diameter	14.2mm
Centre thickness (@ -3.00DS)	0.07mm
Dk/t (@ -3.00DS)	86
Modulus	0.5 MPa
UV blocker*	Yes
Power range	+6.00 to -6.00DS (0.25D steps) -6.50 to -8.00DS (0.50D steps)
ADD powers	LOW addition up to +2.25DS HIGH addition +2.50 to +3.00DS
Revenue pack size	3
Diagnostic pack size	1



Wearer profile

As easy on the pocket⁺ as the eye, our entry-level one-month lenses give wearers the freedom they want, when they want it.

OptiExpert[™] v2.0

Description

One-month hydrogel lens for myopic and hyperopic patients.

Technology

PC Technology[™] Aberration Neutralising System.[™]

Features

 \checkmark Natural resistance to dehydration

- \checkmark Biocompatible with the eye
- ✓ Aspheric optics
- ✓ Extensive power range.

Benefits

- ✓ Clear vision
- ✓ All day comfort
- ✓ Stays 96% hydrated throughout the day, even after 12 hours of wear
- \checkmark Helps maintain more moisture and helps to address eye dryness.



Single blister

Material	Omafilcon B
Water content	62%
Base curve	8.6mm
Diameter	14.2mm
Centre thickness (@ -3.00DS)	0.065mm
Dk/t (@ -3.00DS)	42
Modulus	0.4 MPa
UV blocker	No
Power range	+6.00 to -6.00DS (0.25D steps) (+0.25DS not available) +6.50 to +20.00DS (0.50D steps) -6.50 to -20.00DS (0.50D steps)
Revenue pack size	3
Diagnostic pack size	1



Revenue packaging

Wearer profile

As easy on the pocket⁺ as the eye, our entry-level one-month lenses give wearers the freedom they want, when they want it.

OptiExpert[™] v2.0

Description

One-month hydrogel lens for astigmatic patients. Stock and made to order (MTO).

Technology

PC Technology.™

Features

- ✓ Cast moulded back surface toric with inverse prism ballast at 3 and 9 o'clock
- \checkmark Natural resistance to dehydration
- \checkmark Biocompatible with the eye.

Benefits

- ✓ Clear vision
- \checkmark All day comfort
- ✓ Stays 96% hydrated throughout the day, even after 12 hours of wear
- \checkmark Helps maintain more moisture and helps to address eye dryness.



Single blister

Material	Omafilcon B	
Water content	62%	
Base curve	8.4mm (MTO) 8.8mm	
Diameter	14.4mm (MTO) 14.5mm	
Centre thickness (@ -3.00DS)	0.11mm	
Dk/t (@ -3.00DS)	25	
Modulus	0.4 MPa	
UV blocker	No	
Power range	+6.00 to -6.50DS (0.25D steps) -7.00 to -8.00DS (0.50D steps)	
Cylinder powers	-0.75, -1.25, -1.75, -2.25DC	
Axes	10° to 180° (10° steps)	
	8.4mm BC (MTO)	8.8mm BC
Revenue pack size	6	3,6
Diagnostic pack size	1	1



Revenue packaging

Wearer profile

As easy on the pocket⁺ as the eye, our entry-level one-month lenses give wearers the freedom they want, when they want it.

OptiExpert[™] v2.0

Description

One-month hydrogel lens for astigmatic patients with higher prescriptions. Made to order (MTO).

Technology

PC Technology.™

Features

- ✓ Extended range
- ✓ Cast moulded back surface toric with inverse prism ballast at 3 and 9 o'clock
- \checkmark Natural resistance to dehydration
- \checkmark Biocompatible with the eye.

Benefits

- \checkmark Vision correction for high astigmats
- ✓ All day comfort
- ✓ Stays 96% hydrated throughout the day, even after 12 hours of wear
- \checkmark Helps maintain more moisture and helps to address eye dryness.



Single blister

Material	Omafilcon B
Water content	62%
Base curve	8.8mm
Diameter	14.4mm
Centre thickness	Varies by Rx
Dk/t (@ -3.00DS)	23
Modulus	0.4 MPa
UV blocker	No
Power range	-6.50 to +6.50DS (0.25D steps) +7.00 to +10.00DS (0.50D steps) -7.00 to -10.00DS (0.5D steps)
Cylinder powers	-0.75 to -5.75DC (0.50D steps)
Axes	5° to 180° (5° steps)
Revenue pack size	3, 6 (MTO)
Diagnostic pack size	1 (MTO)



Revenue packaging

Wearer profile

As easy on the pocket⁺ as the eye, our entry-level one-month lenses give wearers the freedom they want, when they want it.

OptiExpert[™] v2.0 Fitting guide

Description

One-month hydrogel multifocal lens for presbyopic patients.

Technology

PC Technology[™] Balanced Progressive[®] Technology.

Features

 \checkmark Multiple zones of vision correction

- \checkmark Natural resistance to dehydration
- \checkmark Biocompatible with the eye.

Benefits

- ✓ Maximises binocular visual acuity near, far and in-between
- \checkmark All day comfort
- ✓ Stays 96% hydrated throughout the day, even after 12 hours of wear
- \checkmark Helps maintain more moisture and helps to address eye dryness.



Single blister

Material	Omafilcon B
Water content	62%
Base curve	8.7mm
Diameter	14.4mm
Centre thickness (@ -3.00DS)	0.16mm
Dk/t (@ -3.00DS)	17
Modulus	0.4 MPa
UV blocker	No
Power range	+6.00 to -6.50DS (0.25D steps) -7.00 to -8.00DS (0.50D steps)
ADD powers	+1.00 to +2.50 (0.50D steps)
Revenue pack size	3
Diagnostic pack size	1



Wearer profile

As easy on the pocket⁺ as the eye, our entry-level one-month lenses give wearers the freedom they want, when they want it.



Description

One-month hydrogel multifocal lens for presbyopic patients with higher prescriptions. Made to order (MTO).

Technology

PC Technology[™] Balanced Progressive[®] Technology.

Features

- ✓ Extended range
- ✓ Multiple zones of vision correction
- \checkmark Natural resistance to dehydration
- \checkmark Biocompatible with the eye.

Benefits

- ✓ Maximises binocular visual acuity near, far and in-between
- ✓ All day comfort
- ✓ Stays 96% hydrated throughout the day, even after 12 hours of wear
- \checkmark Helps maintain more moisture and helps to address eye dryness.



Single blister

Material	Omafilcon B	
Water content	62%	
Base curve	8.7mm	
Diameter	14.4mm	
Centre thickness	Varies by Rx	
Dk/t	Varies by Rx	
Modulus	0.4 MPa	
UV blocker	No	
Power range	+6.50 to +20.00DS (0.50D steps) -8.50 to -20.00DS (0.50D steps)	+6.50 to -6.50DS (0.25D steps) +7.00 to +20.00DS (0.50D steps) -7.00 to -20.00DS (0.50D steps).
ADD powers	+1.00 to +2.50DS (0.50D steps)	+3.00 to +4.00DS (0.50D steps)
Revenue pack size	3, 6 (MTO)	
Diagnostic pack size	1 (MTO)	



Wearer profile

As easy on the pocket⁺ as the eye, our entry-level one-month lenses give wearers the freedom they want, when they want it.

† Retail price is solely at the discretion of the retailer at all times. CVI commentary on price positioning is not meant to influence the price any retailer charges.

Fitting guide

Description

One-month hydrogel lens for astigmatic presbyopic patients. Made to order (MTO).

Technology

PC Technology[™] Balanced Progressive[®] Technology.

Features

- \checkmark Multiple zones of vision correction
- ✓ Cast moulded back surface toric with inverse prism ballast at 3 and 9 o'clock
- \checkmark Natural resistance to dehydration
- \checkmark Biocompatible with the eye.


Benefits

- \checkmark Vision correction for astigmatic presbyopes, including higher prescriptions
- \checkmark Maximises binocular visual acuity near, far and in-between
- \checkmark All day comfort
- ✓ Stays 96% hydrated throughout the day, even after 12 hours of wear
- \checkmark Helps maintain more moisture and helps to address eye dryness.



Single blister

Material	Omafilcon B
Water content	62%
Base curve	8.4mm 8.8mm
Diameter	14.4mm
Centre thickness	Varies by Rx
Dk/t	Varies by Rx
Modulus	0.4 MPa
UV blocker	No
Power range	+6.50 to -6.50DS (0.25D steps) +7.00 to +20.00DS (0.50D steps) -7.00 to -20.00DS (0.50D steps)
Cylinder powers	-0.75 to -5.75DC (0.50D steps)
Axes	5° to 180° (5° steps)
ADD powers	+1.00 to +4.00DS (0.50D steps)
Revenue pack size	3, 6 (MTO)
Diagnostic pack size	1 (MTO)



Revenue packaging

Wearer profile

As easy on the pocket⁺ as the eye, our entry-level one-month lenses give wearers the freedom they want, when they want it.

OptiExpert[™] v2.0

Description

One-month hydrogel lens for myopic and hyperopic patients.

Technology

Aberration Neutralising System.™

Features

✓ Aspheric optics✓ UV blocker.*

Benefits

✓ Enhanced visual clarity
 ✓ Excellent handling
 ✓ UV-blocking.*



Single blister

Specification

Material	Ocufilcon D
Water content	55%
Base curve	8.8mm (plus powers) 8.6mm, 8.9mm (minus powers)
Diameter	14.2mm
Centre thickness (@ -3.00DS)	0.07mm
Dk/t (@ -3.00DS)	27
Modulus	0.4 MPa
UV blocker*	Yes
Power range	-0.25 to -6.00DS (0.25D steps) -6.50 to-10.00DS (0.50D steps) +0.25 to +5.00DS (0.25D steps) +5.50 to +8.00DS (0.50D steps)
Revenue pack size	3
Diagnostic pack size	1

† Retail price is solely at the discretion of the retailer at all times. CVI commentary on price positioning is not meant to influence the price any retailer charges. *Warning: UV-absorbing contact lenses are of substitutes for protective UV-absorbing eyewear, such as UV-absorbing goggles or sunglasses, because they do not completely cover the eye and surrounding area. Patients should continue to use UV-absorbing eyewear as directed.



Revenue packaging

Wearer profile

As easy on the pocket⁺ as the eye, our entry-level one-month lenses give wearers the freedom they want, when they want it.

OptiExpert[™] v2.0

† Retail price is solely at the discretion of the retailer at all times. CVI commentary on price positioning is not meant to influence the price any retailer charges. "Warning: UV-absorbing contact lenses are not substitutes for protective UV-absorbing eyewear, such as UV-absorbing oggles or sunglasses, because they do not completely cover the eye and surrounding area. Patients should continue to use UV-absorbing eyewear as directed. 1. In Primary gaze: Comparison of fitting stability of the different soft toric contact lenses. Contact Lens & Anterior Eye 37 (2014) Hamed Momeni-Moghaddam et al. Optimised Toric Lens Geometry^{Mic} compared to available prism ballast, precision balance and accelerated stabilisation toric lens design.

Description

One-month hydrogel lens for astigmatic patients.

Features

- \checkmark Optimised base curve
- ✓ Custom-engineered lens edge design
- 🗸 Prism ballast
- ✓ Mid-water content
- ✓ UV blocker.*

Benefits

- ✓ Superior stability with the least lens rotation vs. other leading toric lens designs¹
- ✓ Consistent, exceptional vision quality for astigmatic patients
- ✓ UV-blocking.*



Single blister

Material	Ocufilcon D
Water content	55%
Base curve	8.7mm
Diameter	14.5mm
Centre thickness (@ -3.00DS)	0.11mm
Dk/t (@ -3.00DS)	17
Modulus	0.4 MPa
UV blocker*	Yes
Power range	-6.50 to -9.00DS (0.50D steps) +5.00 to -6.00DS (0.25D steps) +5.50 to +6.00DS (0.50D steps)
Cylinder powers	-0.75, -1.25, -1.75, -2.25DC
Axes	10° to 180° (10° steps)
Revenue pack size	3
Diagnostic	
pack size	1

Contents | One-day | One-month | Fit sets

Ordering online is quick and easy

- Go to www.coopervision.co.uk and select **Practitioner** at the top right of the website.
- D Log in Click
- If you are a registered user, log in using your email address and password, if you are a new user, create a login by clicking register.

New users	Returning users
Register today to view account information and access	Please login to place an order, check order status, o
marketing support to help build your practice.	access practitioner-only content.
Begster	Email address *
	Password *
	Forgot your password?
	Log in


• Select 📜 Buy now to place an order.

Benefit from:



24/7 ordering







Consolidated store delivery when you check out your orders at the end of the day



View order history



Direct-to-patient delivery.



VisionXtra[™] is the patient registration scheme from CooperVision that is designed to support patient retention.

- A FREE, simple way to manage your patients
- Direct-to-patient delivery with contact lenses and solutions together in one convenient pack
- The ability to create and release 'trigger patient orders' giving you more flexibility
- Hassle-free returns process
- 100% credit on product returns
- Automated patient order updates.

You can access the VisionXtra[™] registration system via the Patient Management section of our E-commerce website. OptiExpert[™] v2.0 app is a free app and an essential tool for your practice, supporting your clinical decision making and patient management – helping make contact lens selection easier.[^]

OptiExpert[™] v2.0 is smarter than ever so you can do even more.

OptiExpert[™] is used by over 30,000 Eye Care Professionals across more than 80 countries, with 8,000+ downloads in the UK&I.[‡]

Click **here** to find out more.

Download the FREE OptiExpert[™] v2.0 app today.

rifstoer

Available for mobile and tablet devices or as a web app.









Smart Prescription Calculator.

- Instantly turns virtually any spectacle prescription into a contact lens prescription
- Searches more options to give you even more product recommendations
- Save valuable chair time with accurate toric¹ and multifocal calculations²
- Making it easier for optical colleagues to preselect diagnostic contact lenses ahead of lens fitting.[^]





Efron Grading Scales. Readily accessible clinical reference.[^]

Enables quick and easy consultation of the well-known Nathan Efron grading scales to support contact lens patient management, complete with accompanying texts.



Oxygen Profiles.

Effective clinical tool to simplify patient communications.^

Oxygen profile maps that show oxygen transmissibility over the whole lens which can demonstrate how different prescriptions, lens designs and materials influence this.

^ OptiExpert[™] is an educational, reference and information tool for Eye Care Professionals. Eye Care Professionals may choose to use the app in connection with their own patient evaluation but it is not intended to be relied upon for clinical decision-making. OptiExpert[™] is not intended as and does not constitute medical or optometric advice nor is it intended to replace the patient evaluation performed by an Eye Care Professional. 1. CVI Data on file 2020. Luensmann D., et al. *Toric lens fitting success supported by an online fitting app.* 2. CVI data on file 2019. *Multifocal lens fitting success supported by an online fitting app. Retrospective analysis.* N=55 subjects (110 eyes); DV Rx +1.25D to -3.25D, add powers +1.25 to +2.50DS, ‡ CVI data on file 2020.

Product name	MyDay®		MyD tor			MyDay [®] multifocal	clariti®1 day		clariti®1 day toric	r	clariti [®] 1 day multifocal	Live®
Revenue packaging	MyD2y sequent	MyDay un aussi lare Couper State		er Vision HTT	Minimum da Rasan Minimum Minim	clarifi's car	Carrier Conversion		ar haon	Caper Alar	Live	
Blister pack		Liday tonic skoos hybroget		All and a second			A Constant of the second secon		A Contraction	2011 2000		
Diagnostic packaging	Sets 1 day - Sharen Hydrogel daylane Vitera anarona Mittelien € and the set of the set	S4% 1 day - Siles foric Transmission file Little SS	icane Hydrogel	turi inte	n - fot for sam	Set 1 for a Share hydroget mathinal ^{There} ^{There} ^{There} ^{There} and there is a set of the set	MALT (age - Sharen nyeltiget setem ^{Malter} ^{Malter ^{Malter} ^{Malter ^{Malter} ^{Malter} ^{Malter ^{Malter ^{Malter ^{Malter }}}}}}	-	N. 1 day - Soloure Hydroget Net Marian States Marian Stat	e - not for suit	NO. 1 day - Solare Hydrogel Haldford ¹⁰ Million I Million Rise Million State	1 day - Silcone Hydroget sphere Re damaneters I Different SS I Different
Wearer profile	These high-performa comfort, health an	ance lens d conver	ses sui nience	it wea e for le	rers w ong an	ho want unsurpassed d demanding days.	Enjoyed by many wearers, these contact lenses focus on convenience, health, comfortable eyes and great value. [†]				For wearers that want to get out there and live life to the full, try our convenient and affordable [†] entry-level one-day lenses.	
Material	Stenfilcon A	S	Stenfil	con A		Stenfilcon A	Somofilcon A Somofilcon A Somofilcon A			Somofilcon A	Somofilcon A	
Water content	54%		54	%		54%	56%		56%		56%	56%
Sphere powers	-0.25 to -6.00 (0.25 steps) -6.50 to -12.00 (0.50 steps) +0.25 to +5.00 (0.25 steps) +5.50 to +8.00 (0.50 steps)	Plano to -6.00 - (0.25 (0.1	Plano to - 6.00 .25 steps) - 6.50 to -10.00 .50 steps) +0.50 to + 6.00 .50 steps)	-6.50 to -10.00 (0.50 steps)	+0.25 to +6.00 (0.25 steps	+8.00 to -10.00 (0.25 steps) -10.50 to -12.00 (0.50 steps)	-0.50 to -6.00 (0.25 steps) -6.50 to -10.00 (0.50 steps) +0.50 to +6.00 (0.25 steps) +6.50 to +8.00 (0.50 steps)	-6 (0	-6.50 to .00 -9.00 .25 (0.50 steps) steps)	+0.25 to +4.00 (0.25 steps)	+5.00 to -6.00 (0.25 steps)	-0.50 to -6.00 (0.25 steps) -6.50 to -10.00 (0.50 steps) +0.50 to +6.00 (0.25 steps) +6.50 to +8.00 (0.50 steps)
Cylinder powers	-	-0.75 -1.25 -1.75		-0.75 -1.25 -1.75	-0.75 -1.25 -1.75	-		-0.75 -1.25 -1.75	-2.25 -0.75 -1.25 -1.75 -2.25	-0.75 -1.25 -1.75	-	-
Axes	-	10° to 2 180° 9 (10° 1 steps 1	170° 180°	10° 20° 70° 80° 90° 100° 110° 160° 170° 180°	10° 20° 70° 80° 90° 100° 110° 160° 170° 180°	-		10° to 180° (10° steps	$\begin{array}{cccccc} & 10^{\circ} & \\ 10^{\circ} & 20^{\circ} & \\ 20^{\circ} & 60^{\circ} & \\ 80^{\circ} & 80^{\circ} & 20^{\circ} \\ 90^{\circ} & 90^{\circ} & 90^{\circ} & \\ 100^{\circ} & 100^{\circ} & 160^{\circ} \\ 110^{\circ} & 110^{\circ} & 170^{\circ} \\ 160^{\circ} & 120^{\circ} & 180^{\circ} \\ 170^{\circ} & 160^{\circ} & \\ 180^{\circ} & 170^{\circ} & \\ 180^{\circ} & 180^{\circ} \end{array}$	10° 20° 70° 80° 90° 100° 110° 160° 170° 180°	-	-
ADD powers	-		-			LOW +0.75 to +1.25 MID +1.50 to +1.75 HIGH +2.00 to +2.50	-		- LOW up to +2.25 HIGH +2.50 to +3.00		-	
Dk/t (-3.00DS)	100		80)		100	86		57		86	86
UV blocker*	yes		ye	S		yes	yes		yes		yes	yes

						_			
Product name	Proclear [®] 1 day	Proclear [®] 1 day multifocal	Biomedics [®] 1 day Extra		Biomedics®1 day Extra toric		MiSight [®] 1 day		
Revenue packaging	Pactar 1 day	Property of the second se	Remedica 1 day times	Bornelict" I day Ears	Rendec' 1 de Les Les Productions Productions Cours Marrie		Research 1 day Daw Daw Cognet Hand		MSIght + day minimum
Blister pack	1 De la Constantina de la Cons	Iday multifical	entransi Disco Sino		Landre La		1day toric		Misight' 166 Window Misight' 166 Misight' 16
Diagnostic packaging	60%.1 day Primaria Martine and Martine Communication of the state	00% 1 day RC malified The mail The mail The mail The mail The mail The mail The mail The mail The mail The mail	555 1 day Na suma metan Distribution CC	55% 1 day too: *** an analytic service ************************************	outlinues not for sale		MISIGNE 1 day mission memory Copyrelation		
Wearer profile	Wearer profile For wearers that want to get out there and live life to the full, try our convenient and affordable ⁺ entry-level one-day lenses.						These child-friendly lenses are designed for myopia control, and reduce the progression of myopia in children. ¹⁺ Myopia can lead to severe ocular health problems later in life. ²		
Material	Omafilcon A	Omafilcon A	Ocufilcon D	Ocufilcon D			Omafilcon A		
Water content	60%	60%	55%	55%			60%		
Sphere powers	-0.25 to -6.00 (0.25 steps) -6.50 to -12.00 (0.50 steps) +0.25 to +5.00 (0w25 steps) +5.50 to +8.00 (0.50 steps)	-0.25 to -6.00 (0.25 steps) -6.50 to -10.00 (0.50 steps) +0.25 to +6.00 (0.25 steps)	+5.00 to -6.00 (0.25 steps) -6.50 to -10.00 (0.50 steps) +5.50 to +6.00 (0.50 steps)	Plano to -6.00 (0.25 steps) -6.50 to -7.00 (0.50 steps)	ps) -7.50 to -10.00 (0.50 steps)		-0.25 to -6.00DS (0.25D steps)		
Cylinder powers	-	-	-	-0.75, -1	-0.75, -1.25, -1.75		-		
Axes	-	-	-	20° 90° 160° 180°	90° 90° 160° 180°		-		
ADD powers	-	Single power profile, up to +2.50	-				-		
Dk/t (-3.00DS)	28	28	27	1	7		28		
UV blocker*	no	no	no	n	0		no		







MiSight[®] 1 day contact lenses are dual-purpose:

- they provide clear vision¹
- they help to control the progression of myopia.1

In 2021, the World Council of Optometry passed a resolution that publicly declares support for myopia management as standard of care.³

With new treatment options available, eye care professionals can now do more than just correct refractive error.

Specially designed for children with myopia: providing clear vision and helping to control the progression of myopia.^{1,2} MISIGHT 3 1300 MiSight 1 day Myopia Management ActivControl® Technology CooperVision* 30 daily disposable contact lenses

Available in sphere.


1. Chamberlain P et al A 3-year Randomized Clinical Trial of MiSight Lenses for Myopia Control. Optom Vis Sci 2019;96:556-567. 2. Chamberlain P, Arumugam B, Jones D et al. Myopia Progression in Children wearing Dual-focus Contact Lenses: 6-year findings. Optom Vis Sci 2020;97(E-abstract): 200038. 3. Resolution: The standard of care for Myopia Management by Optometrists. World Council of Optometry. (2021, May 17). https://worldcouncilofoptometry.info/resolution-thestandard-of-care-for-myopia-management-by-optometrists.

Contents | One-day | One-month | Fit sets

- Designed for wearers looking for convenience
- A fresh new lens every day
- One-day lenses are the healthiest way to wear contact lenses
- Great for full-time as well as part-time wear
- Easy to use for new wearers.

A lens for every routine, lifestyle, budget⁺ and prescription.

† Retail price is solely at the discretion of the retailer at all times. CVI commentary on price positioning is not meant to influence the price any retailer charges.



multifocal lens designs.



days.

Product name	Biofinity®	Biofinity® XR	Biofinity [®] toric	Biofi XR t	nity° oric	Biofinity [®] multifocal	Biofinity [®] toric multifocal	Biofinity Energys®	
Revenue packaging	Scherty Coperficient	Extensy as Cospersion Cospersion	The second secon	Bufeity XI Unit:	CooperVision	indiary Cosperation	the subscription of the su	Bofinity Energys	
Blister pack		Construction A 15							
Wearer profile		For wearers who put a premium on comfort, health and vision, these high-performance lenses areavailable in a wide prescription range.							
Material	Comfilcon A	Comfilcon A	Comfilcon A	Comfi	lcon A	Comfilcon A	Comfilcon A	Comfilcon A	
Water content	48%	48%	48%	48%		48%	48%	48%	
Sphere powers	-0.25 to -6.00 (0.25 steps) -6.50 to -12.00 (0.50 steps) +0.25 to +6.00 (0.25 steps) +6.50 to +8.00 (0.50 steps)	+8.50 to +15.00 (0.50 steps) -12.50 to -20.00 (0.50 steps)	+6.00 to -6.00 (0.25 steps) +6.50 to +8.00 (0.50 steps) -6.50 to -10.00 (0.50 steps)	+10.00 to +8.50 (0.50 steps)	+10.00 to -10.00 (0.50 steps after +/- 6.00)	+6.00 to -6.00 (0.25 steps) -6.50 to -10.00 (0.50 steps)	-10.00 to -6.50 (0.50 steps) -6.00 to +6.00 (0.25 steps) +6.50 to +10.00 (0.50 steps)	+6.00 to -6.00 (0.25 steps) +6.50 to +8.00 (0.50 steps) -6.50 to -12.00 (0.50D steps)	
Cylinder powers	_	-	-0.75, -1.25, -1.75, -2.25	-0.75 to -2.25 (0.50 steps)	-2.75 to -5.75 (0.50 steps)	_	-0.75 to -5.75 (0.50 steps)	-	
Axes	-	- 10° to 180° (10° steps)		5° to 180° (in 5° steps)		-	5° to 180° (in 5° steps)	-	
ADD powers	-	-	_	4		+1.00, +1.50, +2.00, +2.50	+1.00, +1.50, +2.00, +2.50		
Dk/t (-3.00DS)	160	Varies by Rx	116	1'	16	142	160	160	
UV blocker*	no	no	no	n	0	no	no	no	

Product name	Avaira Vitality®	Avaira Vitality° toric	clariti® elite	clariti [®] toric	clariti [®] XR toric	clariti® multifocal		
Revenue packaging	Avaira Vitality	Avaira Vitality Isocia International Cost of Visor	Copervisor	Cocordiant	And	Carrie Bastania Bastania Bastania Coopervision		
Blister pack								
Wearer profile	For wearers lo perfect balance of c vision at the	omfort, health, and	As e	As easy on the pocket ⁺ as the eye, our entry-level one-month lenses give wearers the freedom they want, when they want it.				
Material	Fanfilcon A	Fanfilcon A	Somofilcon A	Somofilcon A	Somofilcon A	Somofilcon A		
Water content	55%	55%	56%	56%	56%	56%		
Sphere powers	+0.25 to +6.00 (0.25 steps) +6.50 to +8.00 (0.50 steps) -0.25 to -6.00 (0.25 steps) -6.50 to -12.00 (0.50 steps)	+0.25 to +6.00 (0.25 steps) +6.50 to +8.00 (0.50 steps) -0.25 to -6.00 (0.25 steps) -6.50 to -10.00 (0.50 steps)	-0.25 to -8.00 (0.25 steps) -8.50 to -10.00 (0.50 steps) +0.25 to +6.00 (0.25 steps) +6.50 to +8.00 (0.50 steps)	+6.00 to -8.00 (0.25 steps) -8.50 to -9.00 (0.50 steps)	-9.50 to -10.00 Plano to -8.00 (0.25 steps) -6.50 to +10.00 -8.50 to -10.00 (0.50 steps) -8.50 to -10.00 (0.50 steps) +6.50 to +10.00 +0.25 to +6.00 (0.25 steps) (0.50 steps) +6.50 to +10.00 (0.50 steps)	+6.00 to -6.00 (0.25 steps) -6.50 to -8.00 (0.50 steps)		
Cylinder powers	-	-0.75, -1.25, -1.75, -2.25	-	-0.75, -1.25, -1.75, -2.25	-0.75, -1.25, -1.75, -2.25 do -5.75 (0.50 steps)	-		
Axes	-	10° to 180° (10° steps)	-	10° to 180° (10° steps)	5° to 180° (in 5° steps)	-		
ADD powers	-	-	-	-	-	LOW up to +2.25DS HIGH +2.50 to +3.00DS		
Dk/t (-3.00DS)	110	90	86	57	57	86		
UV blocker*	yes	yes	yes	yes	yes	yes		

Product name	Proclear®	Proclear [®] toric	Proclear [®] toric XR	Proclear [®] multifocal	Proclear® multifocal XR	Proclear [®] multifocal toric	Biomedics® 55UV Evolution	Biomedics® 55UV Evolution toric
Revenue packaging	Produr Copyrillion	Rober for anner Cogerhion	Packar Sine M Automatic Corporation	Roder matter CoperNon	Problem mithica 18 Copperform	Product funct middle.cf funct 	Bornedic 15 Bornedic 15 Bornedic 15 Bornedic 15 CopperVision'	Bonder Drift Himm CooperVisor
Blister pack								
Wearer profile		As easy on the pocket [†] as the eye, our entry-level one-month lenses give wearers the freedom they want, when they want it.						
Material	Omafilcon B	Omafilcon B	Omafilcon B	Omafilcon B	Omafilcon B	Omafilcon B	Ocufilcon D	Ocufilcon D
Water content	62%	62%	62%	62%	62%	62%	55%	55%
Sphere powers	+6.00 to -6.00 (0.25 steps) (+0.25 not available) +6.50 to +20.00 (0.50 steps) -6.50 to -20.00 (0.50 steps)	+6.00 to -6.50 (0.25 steps) -7.00 to -8.00 (0.50 steps)	-6.50 to +6.50 (0.25 steps) +7.00 to +10.00 (0.50 steps) -7.00 to -10.00 (0.50 steps)	+6.00 to -6.50 (0.25 steps) -7.00 to -8.00 (0.50 steps)	+6.50 to +20.00 (0.25 steps) (0.50 steps) -8.50 to -20.00 (0.50 steps) -20.00 (0.50 steps) (0.50 steps)	+7.00 to +20.00 (0.50 steps)	-0.25 to -6.00 (0.25 steps) -6.50 to -10.00 (0.50 steps) +0.25 to +5.00 (0.25 steps) +5.50 to +8.00 (0.50 steps)	-6.50 to -9.00 (0.50 steps) +5.00 to -6.00 (0.25 steps) +5.50 to +6.00 (0.50 steps)
Cylinder powers	-	-0.75, -1.25, -1.75, -2.25	-0.75 to -5.75 (0.50 steps)	-	-	-0.75 to -5.75 (0.50 steps)	-	-
Axes	-	10° to 180° (10° steps)	5° to 180° (5° steps)	-	-	5° to 180° (5° steps)	-	-
ADD powers	-	-	_	+1.00 to +2.50 (0.50 steps)	+1.00 to +2.50 (0.50 steps) (0.50 steps)	+1.00 to +4.00 (0.50 steps)	-	-
Dk/t (-3.00DS)	42	25	23	17	Varies by Rx	Varies by Rx	27	42
UV blocker*	no	no	no	no	no	no	yes	yes






Product	MiSight [®] 1 day
Trial pack size	5 pack
Dimensions	(H) 20.5cm x (D) 18cm x (W) 29.5cm
Powers	Minus Powers: -0.50 to -6.00DS (0.25D steps)
Total	40 trial packs (x5 lenses) = 200 minus power trial lenses.





MyDay [®] MINUS POWERS
5 pack
(H) 20.5cm x (D) 18cm x (W) 29.5cm
Minus Powers: -0.50 to -6.00DS (0.25D steps)
40 trial packs (x5 lenses) = 200 minus power trial lenses.








Diagnostic packaging



Product	MyDay [®] PLUS POWERS
Trial pack size	5 pack
Dimensions	(H) 20.5cm x (D) 18cm x (W) 29.5cm
Powers	Plus Powers: +0.75 to +6.00DS (0.25D steps)
Total	20 trial packs (x5 lenses) = 100 minus power trial lenses.







Diagnostic packaging


(CT.)

		iviyi	Day° t o	oric	-0,75	-
+4.00		Junio -	Lange Loo In		Territory Loose Des	
+2.00		and to the	And the second s	And the second s	The Local Distance of the	•
				And	Salar Intellio	•
+1.00				San Area Lana La	The second secon	e
Pan	_	- 1.T.	We want to be	January Laws 10	A state of the sta	
-1.00		PR C IN PR	and the second	And the second s		6
-1.50		Ja k m	the second secon	The second secon	The last the	8
-2.00	1. Tary to Tanker Tark Pr. B. Add GBC R. T. T	States of Lane (In the second second	Halling on Langers and Print, K. Con- tention, An and Antimeters and Anti-		6
-2.50		John I. T.	Anthony of Landson (1) Anti-fic Line Million, 2 + 1 + 2	And A	to the latest be	1
-3.00	no ne ha no le ha Ne ha	The SC Dates of the School of	An Angel Lager I The Refer Lager 1 - Th	The force of the set o		8
-4.00	ra in on	Lan an and	In the second se	An and A second an	And	
-5.00	en bi sen na bi sen	Hiller an Lander M Inc. K. M. Damage At 11	Surface Lanes	ANTING TO THEME TO	The second secon	
-6.00	antine of Lanse 100	Internal operation	Part Internet speen Part K. (Part Part K. (Part)	The second secon	Del Territo Lander Del Del Sci Del Del Sci Del Del Del Sci Del	Ų
	10	20	70	80	90	
+4.00	States and Destroy of the	The Party of Street of Str	The second second	a second second	The same of the sa	
+3.00	Printee in Lander	The second second	And the second second	And Address of Address	The second secon	
		Concession of the local division of the loca	and the state of t	and [1] had been been been been been been been bee	And Address of the owner of the	
+2.00	per pr en	State of the	and the second	A CONTRACTOR OF THE OWNER OWNER OF THE OWNER OWNE	Contract of the local division of the local	-
+2.00	And the second s		The second		- Lington Law	
+1.00	And the set of the set					
+1.00 Plate			And		A DATA (C. AND C. AND C	
+1.00 Pare -1.00		and the second s				
+1.00 Plane -1.00 -1.50						
+1.00 Parts -1.00 -1.50 -2.00						
+1.00 Parts -1.00 -1.50 -2.00 -2.50						
+1.00 Parts -1.00 -1.50 -2.00 -2.50 -3.00			 Alexan A, Carlos A, Car			
+1.00 -1.00 -1.50 -2.00 -2.50 -3.00 -4.00			Alexandromericanol A			
+1.00 Parts -1.00 -1.50 -2.00 -2.50 -3.00						

Please note: This fit set can not be wall mounted but like for like banks can be stacked and fixed on top of each other.

Fit Set Specifications

Product	MyDay® toric -0.75DC
Trial pack size	5 pack
Dimensions	(H) 51.6cm x (D) 19cm x (W) 34.3cm
Powers	Cylinder: -0.75DC Axes: 10°, 20°, 70°, 80°, 90°, 100°, 110°, 160°, 170°, 180° Minus Powers: -1.00 to -3.00DS (0.50D steps) -4.00 to -6.00DS (1.00D steps) Plus Powers: Plano to +4.00DS (1.00D steps)
Total	90 trial packs (x5 lenses) = 450 minus power trial lenses. 40 trial packs (x5 lenses) = 200 plus power trial lenses.



And the second s

Diagnostic packaging




-4.00	1.25	Myt	Day' t e	oric	-1.25	
-3.00	_		-	1 at a state	Louis -	1
•2.00		لسندار			fine and	•
+1.00	-				land."	9
					Last-	9
	Contract of the later	لمتغظرا		<u>المتحال</u>	Laure and	
-1.00	Concept Cases In	and the second	Jail 1			6
-1.50	_		and the second			6
-2.00		and the second second	_		ليتنظر	3
-2.50		line in the	And St. T.	1.00	and the second	Ŀ
-3.00	1.1.1.	1 2 2 2 2	1444	and the second	1222	Ŀ
-4.00	and the second	and the second second		a state of	lining and	Ŀ
-5.00	1.1.1.	<u>و من معالم الم</u>	-	_ تنتخل		ł
4.00	hann -		and the second s		80	
	10	20	70	69] [n
+4.00	23.5	and a second sec		The sector of th	distant.	ł
+3.00	1212	And the second	1000	10.12	Arrest and	
+2.00		Land.	10.00		and the second second	
+1.00	and the second				Chine in Lines	н
Ret	And the Real Property lies of the	- Lines	_ تنتقل			1
-1.00	Contract Lance		a starting		a second second	H
-1.50	Contractor Linear			a state of the second	a state of the sta	1
-2.00	East	- Longe				1
-2.50	The second second	- East				1
-3.00	Contrast land	The second				1
-4.00		- Line				1
-5.00	Carlo State			-		
4.00	Contra la	- Late	يتفضلح	170	Clie	1
			160			

Please note: This fit set can not be wall mounted but like for like banks can be stacked and fixed on top of each other.

Fit Set Specifications

Product	MyDay [®] toric -1.25DC
Trial pack size	5 pack
Dimensions	(H) 51.6cm x (D) 19cm x (W) 34.3cm
Powers	Cylinder: -1.25DC Axes: 10°, 20°, 70°, 80°, 90°, 100°, 110°, 160°, 170°, 180° Minus Powers: -1.00 to -3.00DS (0.50D steps) -4.00 to -6.00DS (1.00D steps) Plus Powers: Plano to +4.00DS (1.00D steps)
Total	90 trial packs (x5 lenses) = 450 minus power trial lenses. 40 trial packs (x5 lenses) = 200 plus power trial lenses.



1 day toric silicone hydrogel

Diagnostic packaging




	1.75	My	Day° to	oric	-1.75	
+4.00	Per al ca manual and	- min	Lange Loop In		COLUMN TWO IS	+4
+3.00	NY K IN	And and a second line	Station Lands Ma	Sector Land	Contract Lanes In	+3
+2.00	ALL	And a state of the	The second secon	States of Lates 100	Private Line 10	12
+1.00	100 10 10 10 10 10 10 10 10 10 10 10 10	And A Long Lands	-	The second secon	The second secon	•
Plano	The Line of Li	Land and Land Mar		Statute Tanks M	And the local distance of the	
-1.00	VPL BC DA	And	And a state of the second	Ten ten la sen la	Transa Laws 1	ē
-1.50	the the states and	in the second	Landa and Landa	Marine In Laws 199	Contract Later De	2
-2.00	Den Li uni Den Li uni Den Li uni	Trans Lines	Lintary of Linear Dis-	Portar to Land		8
-2.50	PROFESSION DESCRIPTION	Linta a Lana M	Software Lanes Ma	In K M	The second secon	E
-3.00	THE TREAM AND	Martine and Andrea Martine Control of the Control o	Million II and All	Del Tay en Landes Del Inglis de Tel		6
-4.00	Section of Association	100 tot tot to 10000	ter tar a lander 100	The Lay M. Laws M.	Internet aver	6
-5.00	Section of Association	The second secon	Santager same Sa	And and a second	The second party in the second	8
-6.00	Statistics of Landson III	Contractor Langer 10	Park Or Park Or Distant Arts	The second secon	The Sector Lands I	
	10	20	70	80	90	_
+4.00	Distant Labor	Internet Annual Property in the	In the second se	Destruction Lineses 1	Desting to Lapter De Train D and Desting to Lapter D	
+3.00	Design of Lands	Dentag as Laster	Laking at Later La	Design Lanes	Antonia Laser Inter	
+2.00	Destaure Leaves	A DESCRIPTION OF	The second se	The second secon	Contraction of States	
+1.00	Desting on Lower L	and a second	and the second s	And Annual Property in the local division of	A CONTRACT OF A	I
Plane	anten mil sera l	a survey a lateral	Sector of Sector	The second second	Alter a Maria	
-1.00	Destay of Long	Antinen Innes	The State of	And a second	The second second	
-1.50	Longen Lanes	Tentere Javes	And Address of the other of the other othe	Salara Laren	Contraction of the local data	
-2.00	Lotty a Lotes	Particular Interel	And the second s	and the second s	And the second second	
-2.50	Destay or Land	Australia Contractor	Province Lanes I	Annalis and Annali		
-3.00	Tenting of Lanes		-	Anning in Angene		
-4.00	Partners Lawren	and the second second	- Contractor	And Address of the owner		
	The second	The second second	Contract Incol	Province Later		
-5.00			- Land		- The second	
	10 mm at 100	Contract of the Party of the Pa		170	180	

Please note: This fit set can not be wall mounted but like for like banks can be stacked and fixed on top of each other.

Fit Set Specifications

Product	MyDay [®] toric -1.75DC
Trial pack size	5 pack
Dimensions	(H) 51.6cm x (D) 19cm x (W) 34.3cm
Powers	Cylinder: -1.75DC Axes: 10°, 20°, 70°, 80°, 90°, 100°, 110°, 160°, 170°, 180° Minus Powers: -1.00 to -3.00DS (0.50D steps) -4.00 to -6.00DS (1.00D steps) Plus Powers: Plano to +4.00DS (1.00D steps)
Total	90 trial packs (x5 lenses) = 450 minus power trial lenses. 40 trial packs (x5 lenses) = 200 plus power trial lenses.



NOT FOR INDIVIDUAL RESALE 1 day toric silicone hydrogel

Diagnostic packaging





Product	MyDay [®] multifocal CORE
Trial pack size	5 pack
Dimensions	(H) 45.9cm x (D) 17cm x (W) 34.3cm
Powers	Low ADD: -4.50 to +4.25DS (0.25D steps) Med ADD: -4.50 to +4.25DS (0.25D steps) High ADD: Plano to +4.25DS (0.25D steps)
Total	36 trial packs (x5 lenses) = 180 minus power trial lenses. 54 trial packs (x5 lenses) = 270 plus power trial lenses.





Diagnostic packaging





Product	MyDay [®] multifocal EXTENDED
Trial pack size	5 pack
Dimensions	(H) 45.9cm x (D) 17cm x (W) 34.3cm
Powers	Low ADD: -4.50 to -9.00DS (0.25D steps) -10.00 to -12.00 (1.00D steps) +4.50 to +8.00DS (0.25D steps) Med ADD: -4.50 to -9.00DS (0.25D steps) -10.00 to -12.00 (1.00D steps) +4.50 to +8.00DS (0.25D steps) High ADD: -0.25 to -4.50DS (0.25D steps) -10.00 to -12.00DS (1.00D steps)
Total	60 trial packs (x5 lenses) = 300 minus power trial lenses. 30 trial packs (x5 lenses) = 150 plus power trial lenses.





NETHERNE LANGT-DAT	S#	IC III PM	0.111						Sur.	_
K III NI		AC BIA PAR	9 10 10 10 10 10 10 10 10 10 10 10 10 10	11					5 81-85 5 81-85	¥0 40
K OTA PAR Lo W1-LDR	6	AC DIA ING	G	K DA AM	0				E WAR	0 (k)
15 10 200	0	E IIA IM	S	RC BIA PMR Ed TA1-130	C ME				IL BALLANS	0
K GGA PMR LA NJ-120	3W	KINA PM	0#	K IDA PM G X1-60	3				KU M	O
KH.M	ON	519.18	0	K81.76	3				IC ILL PAR	SK SK
K BIA PAR La N.3-153	and the second second	58.8	③醛	64.00	0			-	E NA DE	02
K.W. 18	and the second second	241-10	35	58.55	۵	1		1	Nº BEA PAR EA N.14250	0 <u>12</u>
68-8	98	11 HA	OK	581.M	⑤ 壁	1	IC DIA PAR La XJ-LEO	OM	K III IM U X 102	0
10.0	0	E 10 -18	0	82 854 AM	0 8 8	-1	RC DIA PME Ad W.1+130	02	BR.M	05
15 115 705	S 🔛	5 Ki M	02	16 111 MA 14 11 - 630	32	1	N IN AN	<u>ت</u> ق	58.8	02
K IGA INI Li Kit-bit	9 2	ENI-M	38	58.8	9 2	1	68.8	<u>ه</u>	15 10 - 10	0 6
16 314 AM	98	58.35	019	E BA ME	S#	1	K IIA PRE	3.	10 MI - 10	0
E 81 - 28	98	15 100 Mg	⑤	10 NO 100	•	1	RE BH PM	08	E CALINE	3
E 854 PM	S#	58 M	⑤ 掇	16 100 AM	0		K NI AK	02	AC FOR PAR 20 NO 400	OK
K HA PM	02	IK 10/4 PM 14 14.1-130	0	K ALL PAR	36		IC NA PAR	6	IK IIA ME Li XI-ER	O
cla	riti	1 day					ily (C o	operVis	ion'

Product	clariti [®] 1 day
Trial pack size	5 pack
Dimensions	(H) 35cm x (D) 14.5cm x (W) 34.5cm
Powers	Minus Powers: -0.50 to -6.00DS (0.25D steps) -6.50 to -10.00DS (0.50D steps) Plus Powers: +0.50 to +4.50DS (0.25D steps) +5.00 to +8.00DS (0.50D steps)
Total	46 trial packs (x5 lenses) = 230 minus power lenses. 24 trial packs (x5 lenses) = 120 plus power lenses.








N 36 1500 (S) (S)	Stilleron OBS	58-36-12an (S)	583 mar 300	ERS - mar Car	14. H-18-18-09 (5)
213 Room (3 18	S.S. M. user (D)	10 The same O ME	Litteran Of	STA MALINA	1.1. 1. 1. 1. 1. 1. (1)
565 in 1500 () () ()	19-19-19-19-19-19-19-19-19-19-19-19-19-1	51).Si-cae @	STO Marson @ M	15. Henry Old	533-56-54K (3)
55.16 cm () (2	1838-1948 S	1850 mar C 🔛	155 % con © 💯	53.5 - 50 C 🕅	65.S-2.n ()
10	and the sea of the sea	17.5	BB Beam Call	55.00-1048 3 B	ST Storeson OR
53-8 cm O B	183 () 🗷	55	58774 www. 388	58.5 cm 3 10	SR Means Off
10 Marson C (B)	553 M - 240 D 😽	58-16-15al (S)	515-16-100 DB	515 B ann © 🕅	533 an 08
583 me 315	551-78-coax (S) 🚟	555 cm 32	55 % cm O 🔢	18 M-1140 (188	10 K - San () (
El Conse DER	50-16-15= C 22	EN-Serve Official	10.0 m 0 0	Ell Maran	BES IS the Car CE
1	Stormen C 🔯	581-18-194 S 🕼	LB Mona D M	18 Kon Off	SUM an OB
B. Berner (B. B.	Elis Sto can Cilli	18.16-18-18-18 S	15 33 4 5 40 D 12	155 Marson (3) (8)	KRI-Marster @ BR
Stational Offic	ISS our OB	555 Xeroso (*) 193	1. W. W. mas O BE	6650m @2	55 Marcan C
511-11-12-18 (C) (B)	Li San Oli	18.16 cm 382	18 th one Call	Sil-Mean Call	155 m 05
1975-1946 OSE	55 Stora OB	5275-cor 388	285-26 com ①酸	55-16-18-1 CB	105
511-20 on O 🕅	BB Bur OM	55 W ave O	88-8-200 C 🔯	28.4.5 m SH	555 (Second S)
133-m 03	553 urt OB	20 mar 46 02	E TO TE AN OW	28.3 cm 8 22	55 A-200 Off
Axis: 10° Axis: 100°	Axis: 20* Axis: 110*	Axis: 60° Axis: 120°	Axis: 70° Axis: 160°	Axis: E0° Axis: 170°	Axis: 90° Axis: 180°
clariti toric	1 day		Silicone hydrogel o disposable lenses for astigmatism	laly Csi	nder -0.75

Product	clariti® 1 day toric
Trial pack size	5 pack
Dimensions	(H) 35cm x (D) 14.5cm x (W) 34.5cm
Powers	Cylinders: -0.75, -1.25, -1.75, -2.25DC Axes: 10°, 20°, 60°, 70°, 80°, 90°, 100°, 110°, 120°, 160°, 170°, 180° Minus Powers: -0.50 to -4.00DS (0.50D steps)
Total	96 trial packs (x5 lenses) = 480 minus power lenses.








-	1	1 and		100	-
i Silean Sili	1113-00-1540 C	555 Second Second	6.5. Herson (S)	50 00 200 C 2	203 - Sen (2)
Storesee 3	68-26-15ar © 🗱	ti 🕄 📅 than 🖸 🎆	1883-55-15an © 188	1855 - 1240 OB	STI Stan ()
12-13-cm Off	53-12-can OB	IN Means Of	581-56-1500 O 🕅	55-5-can © (5)	William ()
6835-1948 @ 🗃	1885-ma () (188	553/16# O <u>18</u>	รีซีเรียงสาเลต 🛙 🇱	883. an O	I.S. Stown (S)
55-11-1200 S 🗟		505 OM	All Marson Colle	15.5 max © 200	58-M-1140 @ 8
123 mai 0 12 5	505 mar 30	10.10 million (* 1888)	513-14-1540 O 2	18 See Of	「19.1%-pan ①日
15. 16 - con O 18	515-06-case © 225	18 Maria Offi	55 iir can 🖸 🚟	「私」で Marine の の の の の の の の の の の の の の	El Seren Old
165 mar 8 121	Elli-Weiner @ 🔯	188 Herenan (S 🔀	Elli Herman Dille	58 N. can (1) 18	10 Hours Of
and the second division of					
58-36-20 OB	186-16-13-13-18 O	14.9.00 mail 1998	18 19 19 19 19 19 19 19 19 19 19 19 19 19	50-00-15-0 C 2	SU-Grand SE
113-56-10-10 O 🕮	BO men C B	55. Marina @ 199	18 Barrer O 👹	Lib Wess Off	BASSES OF
143 W 1000 (G 🗱	\$83 26 care 318	58 Kraz 9 88	613 56 row (912	55 Marson (5)	SB-Berne CB
165 va C 🔀	50.50 and 0.88	il i i i an O Bi	50.5 - 200 O BB	58.3 cm 3	188 98
A STREET OF					-
2835 an OB	Stidenan O 🗱	513 de 16 a Galler	58-50-000 OS	1883 un OR	BU Stresso C
50 M 200 O	18-16-10 C 28	58-5-40 O 🖼	53.3. tom @ 88	615-85-200 C (28)	Sil Mean Office
53-16 cm (5 😭	Sal Marca Dage	5836 can 🔿 🖽	1. Store Cas	STANS OF	50 8 ma C 🐹
55 St to at 10	Lib de la no O BR	BB-Server Off	EN Alexan C	20.00 mm (SB)	5826-a-02
Axis: 10° Axis: 100°	Axis: 20" Axis: 110°	Axis: 60° Axis: 120°	Axis: 70° Axis: 160°	Axis: 80° Axis: 170°	Axis: 90* Axis: 180*
clariti	1 day		Silicone hydrogel d disposable lenses	aily Cys	de -1.25
			for astigmatism		19533

Product	clariti® 1 day toric -1.25DC
Trial pack size	5 pack
Dimensions	(H) 35cm x (D) 14.5cm x (W) 34.5cm
Powers	Cylinder: -1.25DC Axes: 10°, 20°, 60°, 70°, 80°, 90°, 100°, 110°, 120°, 160°, 170°, 180° Minus Powers: -0.50 to -4.00DS (0.50D steps)
Total	96 trial packs (x5 lenses) = 480 minus power lenses.







		NOL IN		ERM OF	-
i S Merzen O 🔛	585 Sec. 10 (58)	113-lie-cone C 1	50 W acr 3 12	1 II States C	NY Mason O
LE Wester Co	SS Stream (S)	SNS Statuse (S)	NO MARKIN SE	Sto Stream Office	ST Strong Of
555 to 100 0 55	59-15-15-15-15 S	EN -35-124 ()	511-55 ason 3 👹	18.5. 5. com (5)	1811-184-1849 (D)
1835-1540 @ BB	1814-ma 3	NG Marane Of	Stillerson C 🔯	STO Ar wer COM	155.5 cm ()
10 10 - 1200 S 100	S. W. Marchan () (M	5036-15an © [2]	The Stream Off	55 % - tea 3 🔯	55 Marine CE
185 See 962	58 8 car 3 8	53.75-15an C 📴	STI-G-max DE	15 See OF	Ell-Rosen (S)
155 Ti-son () (1	555-56-000	LIS TA IS AN OWN	56-56 com (\$ 155	Si Si Miren Si	EN Stream COL
Million Offi	EN-M-unix @	188 He man (3) 🖼	583 Sec. 200 (1988)	58 M. can (1) (1)	SSS-an Of
		-			Contra and
W. State Car	18 Tecn O	18.5. ann 38	BB-B-ISH OB	50-00-16-0 @ BB	513-Grane OB
an an all the	55-56-15-15 B	55 M	1836 over 🖓 🖽	Lib Stream () SS	SUG BO CR
14 16 ana 312	\$13 50 can @ 65	\$8.1%-18-18 @@	EN TE-INO DE	Eli Masa Dill	SB Marco S M
15.5 ma 3 18	103-en 088	all Seen Offi	535 - 200 O 200	6836 cm 32	56-6-an 32
50-3-20 BM	51.Ston OB	581 Stone Office	LES Aver Office	515-56-0-10-10	15. Store OF
10 Stoon Office	SEL-Gront Off	10 5 cm OK	LON-IN OR	10-16-12-11 D.68	BB Heren @ BB
18 Mean CM	El Start Off	50.00 mm (3)	550 an O 28	263 20 O B	18 Same C
615 K. v.a. 065	513.200 O 🕅	511-06-040 O B	58 50 10 mg () 58	LB Maran O 🔛	184-2× 0
Axis: 10° Axis: 100°	Axis: 20* Axis: 110*	Ax8: 60* Axis: 120	Axis: 70° Axis: 160°	Axis: 80° Axis: 170°	Axis: 90° Axis: 180°
clariti	1 day 🗾		Silicone hydrogel d disposable lenses	ally Cyle	xe: -1.75
toric	11		for astigmatism		17.4.00

Product	clariti® 1 day toric −1.75DC
Trial pack size	5 pack
Dimensions	(H) 35cm x (D) 14.5cm x (W) 34.5cm
Powers	Cylinder: -1.75DC Axes: 10°, 20°, 60°, 70°, 80°, 90°, 100°, 110°, 120°, 160°, 170°, 180° Minus Powers: -0.50 to -4.00DS (0.50D steps)
Total	96 trial packs (x5 lenses) = 480 minus power lenses.








1			1		
-					
EN Neuros OF	1. Stans	Ell-Marson G	ES Sector Of	El Munn O	ER Store OF
LU-Terson ()	E W. Weiner ()	55 55 50 mm (EB Shann ()	ER Wase Off	11. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
LIG Metades (S)	La in the street (EN-Second C	0.000 E 13 - 55 - 2040 O 10	E Minterson O M	Ell-Mercom Call
EN SPECIAL					
EW Henne OF	-	-			LU Menne OF
11 Marcon Of	ES Terms	55 (Marcan (15.2	Ell-M-com O 📰	1835 - 15m OB
EQ-W-som CR	EN Merchen (S)	an and a state of the second s	B LU To LOW OF	E States C B	LU Bann O
LU-Bran Of					
William Of	1 11 11 care ()	E IS IN COM C	15.5 mm 0		LU Menn Off
List Marcan ()	51.5	El El Can C	Li-B-INN OF	มีมีขั <i>นเอก</i> () 🌠	Ell-Brann SEE
Axis: 10°	Axis: 20°	Axis: 90	Axis: 160°	Axis: 170°	Axis: 180°
clarit	ti 1 day		Silicone hydrog		Inder -2.25
toric	A		disposable lens for astigmatism		

Product	clariti® 1 day toric −2.25DC
Trial pack size	5 pack
Dimensions	(H) 35cm x (D) 14.5cm x (W) 34.5cm
Powers	Cylinder: -2.25DC Axes: 10°, 20°, 90°, 160°, 170°, 180° Minus Powers: -0.50 to -4.50DS (0.50D steps)
Total	60 trial packs (x5 lenses) = 300 minus power lenses.









Product	clariti [®] 1 day multifocal
Trial pack size	5 pack
Dimensions	(H) 35cm x (D) 14.5cm x (W) 34.5cm
Powers	Minus Powers: -0.50 to -4.00DS LOW (0.25D steps) -0.50 to -4.00DS HIGH (0.50D steps) Plus Powers: Plano, then +0.50 to +2.25DS LOW (0.25D steps) Plano to +4.00DS HIGH (0.50D steps)
Total	34 trial packs (x5 lenses) = 170 minus power trial lenses. 23 trial packs (x5 lenses) = 115 plus power trial lenses.









Product	Live®
Trial pack size	5 pack
Dimensions	(H) 35cm x (D) 14.5cm x (W) 34.5cm
Powers	Minus Powers: -0.50 to -6.00DS (0.25D steps) -6.50 to -8.00DS (0.50D steps) Plus Powers: +0.50 to +4.25DS (0.25D steps) +4.50 to +6.00DS (0.50D steps)
Total	62 trial packs (x5 lenses) = 210 minus power trial lenses. 20 trial packs (x5 lenses) = 100 plus power trial lenses.







Proclear® 1 day
5 pack
(H) 20.5cm x (D) 18cm x (W) 29.5cm
Minus Powers: -1.00 to -3.25DS (0.25D steps) -3.50 to -4.00DS (0.50D steps) -4.25 to -4.75DS (0.25D steps) -5.00 to -6.00DS (0.50D steps)
40 trial packs (x5 lenses) = 200 minus power trial lenses.





PC Technology 30 daily disposable of

Product	Proclear® 1 day
Trial pack size	5 pack
Dimensions	(H) 41cm x (D) 18cm x (W) 29.5cm
Powers	Minus Powers: -0.50 to -5.00DS (0.25D steps) -5.50 to -10.00DS (0.50D steps) Plus Powers: +1.00 to +6.00DS (0.50D steps)
Total	60 trial packs (x5 lenses) = 300 minus power trial lenses. 20 trial packs (x5 lenses) = 100 plus power trial lenses.



CooperVision




Product	Proclear® 1 day multifocal
Trial pack size	5 pack
Dimensions	(H) 20.5cm x (D) 18cm x (W) 29.5cm
Powers	Minus Powers: -0.50 to -6.00DS (0.25D steps) -6.50 to -08.50DS (0.50D steps) Plus Powers: +0.50 to +6.00DS (0.50D steps)
Total	14 trial packs (x5 lenses) = 70 minus power trial lenses. 6 trial packs (x5 lenses) = 30 plus power trial lenses.





Product	Biomedics [®] 1 day Extra
Trial pack size	5 pack
Dimensions	(H) 20.5cm x (D) 18cm x (W) 29.5cm
Powers	Minus Powers: -1.00 to -3.25DS (0.25D steps) -3.50 to -4.00DS (0.50D steps) -4.25 to -4.75DS (0.25D steps) -5.00 to -6.00DS (0.50D steps)
Total	40 trial packs (x5 lenses) = 200 minus power trial lenses.



	A.		1	1
		-		
		The second		1
Witness and				
1	1			1
/ 				and the state of t
				and the state of t

Product	Biomedics [®] 1 day Extra
Trial pack size	5 pack
Dimensions	(H) 41cm x (D) 18cm x (W) 29.5cm
Powers	Minus Powers: -0.50 to -5.00DS (0.25D steps) -5.50 to -10.00DS (0.50D steps) Plus Powers: +1.00 to +6.00DS (0.50D steps)
Total	60 trial packs (x5 lenses) = 300 minus power trial lenses. 20 trial packs (x5 lenses) = 100 plus power trial lenses.



	(
ternesser Witnesser			
	1		
			-
-	(cases	i and	
11		Testana I.	

Product	Biomedics [®] 1 day Extra toric
Trial pack size	5 pack
Dimensions	(H) 41cm x (D) 18cm x (W) 29.5cm
Powers	Minus Powers: -0.50 to -7.00DS (0.25D steps)
Total	80 trial packs (x5 lenses) = 400 minus power trial lenses.





Product	Biofinity®
Trial pack size	Single blister
Dimensions	(H) 13.1cm x (D) 28.7cm x (W) 32.5cm
Powers	Minus Powers: -0.75 to -6.00DS (0.25D steps) -6.50 to -10.00DS (0.50 steps) Plus Powers: +1.00D to +6.00DS (0.50D steps)
Total	86 trial single blisters = 86 minus power trial lenses. 22 trial single blisters = 22 plus power trial lenses.







Product	Biofinity [®] toric
Trial pack size	Single blister
Dimensions	(H) 13.1cm x (D) 28.7cm x (W) 32.5cm
Powers	Cylinders: -0.75, -1.25, -1.75DC Axes: 90°, 180° Minus Powers: -0.50 to -6.00DS (0.50D steps) Plus Powers: +0.50 to +4.00DS (0.50D steps)
Total	66 trial single blisters = 66 minus power trial lenses. 42 trial single blisters = 42 plus power trial lenses.







Product	Biofinity [®] multifocal distance
Trial pack size	Single blister
Dimensions	(H) 13.1cm x (D) 28.7cm x (W) 32.5cm
Powers	Minus Powers: -2.00 to -3.50DS (0.25D steps) -4.00 to -6.00DS (0.50 steps) Plus Powers: +0.25 to +3.50DS (0.25D steps) +4.00 to +6.00DS (0.50D steps)
Total	86 trial single blisters = 86 minus power trial lenses. 22 trial single blisters = 22 plus power trial lenses.







Product	Biofinity [®] multifocal near
Trial pack size	Single blister
Dimensions	(H) 13.1cm x (D) 28.7cm x (W) 32.5cm
Powers	Minus Powers: -1.00 to -6.00DS (0.50D steps) Plus Powers: -1.00 to -6.00DS (0.50D steps)
Total	66 trial single blisters = 66 minus power trial lenses. 42 trial single blisters = 42 plus power trial lenses.







Product	Biofinity Energys®
Trial pack size	Single blister
Dimensions	(H) 13.1cm x (D) 28.7cm x (W) 32.5cm
Powers	Minus Powers: -0.75 to -6.00DS (0.25D steps) -6.50 to -10.00DS (0.50 steps) Plus Powers: +1.00 to +6.00DS (0.50D steps)
Total	86 trial single blisters = 86 minus power trial lenses. 22 trial single blisters = 22 plus power trial lenses.







Product	Avaira Vitality®
Trial pack size	Single blister
Dimensions	(H) 13.1cm x (D) 28.7cm x (W) 32.5cm
Powers	Minus Powers: -0.75 to -6.00DS (0.25D steps) -6.50 to -10.00DS (0.50D steps) Plus Powers: +1.00 to +6.00DS (0.50D steps)
Total	86 trial single blisters = 86 minus power trial lenses. 22 trial single blisters = 22 plus power trial lenses.
Total	



Single blister





Product	Avaira Vitality® toric
Trial pack size	Single blister
Dimensions	(H) 31.7cm x (D) 30.7cm x (W) 32.4cm
Powers	Cylinders: -0.75, -1.25, -1.75DC Axes: 90°, 180° Minus Powers: -0.25 to -8.00DS (0.25D steps) Plus Powers: +0.50 to +4.00DS (0.50D steps)
	Cylinders: -0.75, -1.25, -1.75DC Axes: 20°, 160° Minus Powers: -0.50 to -6.00DS (0.50D steps) Plus Powers: +1.00 to +4.00DS (0.50D steps)
Total	240 trial single blisters = 240 minus power trial lenses. 84 trial single blisters = 84 plus power trial lenses.

 WR
 -100

 C8.5
 501A

 D7
 755A100

 XP
 127,202-05-31

 D7
 1954000000

 MILION
 Single blister





Product	clariti [®] elite
Trial pack size	Single blister
Dimensions	(H) 13.1cm x (D) 28.7cm x (W) 32.5cm
Powers	Minus Powers: -0.50 to -6.00DS (0.25D steps)
Total	108 trial single blisters = 108 minus power trial lenses.



Single blister





Product	clariti® toric
Trial pack size	Single blister
Dimensions	(H) 13.1cm x (D) 28.7cm x (W) 32.5cm
Powers	Cylinders: -0.75, -1.25, -1.75DC Axes: 90°, 180° Minus Powers: -0.50 to -5.00DS (0.50D steps) and -6.00DS Plus Powers: +0.50 to +3.00DS (0.50D steps) and +4.00DS
Total	66 trial single blisters = 66 minus power trial lenses. 42 trial single blisters = 42 plus power trial lenses.



Single blister





Product	clariti [®] multifocal
Trial pack size	Single blister
Dimensions	(H) 13.1cm x (D) 28.7cm x (W) 32.5cm
Powers	Low ADD: -6.00 to +4.00DS (0.25D steps) High ADD: 5.00D to +3.00DS (0.50D steps)
Total	60 trial single blisters = 60 minus power trial lenses. 44 trial single blisters = 44 plus power trial lenses.



Single blister





Product	Proclear®
Trial pack size	Single blister
Dimensions	(H) 13.1cm x (D) 28.7cm x (W) 32.5cm
Powers	Minus Powers: -0.50 to -6.00DS (0.25D steps) -6.50 to -10.00DS (0.50D steps) Plus Powers: +0.50 to +6.00DS (0.25D steps)
Total	72 trial single blisters = 72 minus power trial lenses. 36 trial single blisters = 36 plus power trial lenses.







Product	Proclear® toric
Trial pack size	Single blister
Dimensions	(H) 13.1cm x (D) 28.7cm x (W) 32.5cm
Powers	Cylinders: -0.75, -1.25, -1.75DC Axes: 90°, 180° Minus Powers: -0.50 to -5.00DS (0.50D steps) and -6.00DS Plus Powers: +0.50 to +3.00DS (0.50D steps) and +4.00DS
Total	66 trial single blisters = 66 minus power trial lenses. 42 trial single blisters = 42 plus power trial lenses.







Product	Proclear [®] multifocal
Trial pack size	Single blister
Dimensions	(H) 13.1cm x (D) 28.7cm x (W) 32.5cm
Powers	Minus Powers: -1.00 to -6.00DS (0.50D steps) Plus Powers: +1.00 to +4.00DS (0.50D steps)
Total	66 trial single blisters = 66 minus power trial lenses. 42 trial single blisters = 42 plus power trial lenses.









For more information on our products, services, tools, current campaigns, and access to our ecommerce site, please visit **coopervision.co.uk/practitioner**